

Smarter Working Made Simple



Born to be Extraordinary.

KYOCERA Document Solutions is Extraordinary for

- Broad Range of Multifunction Devices and Printers
- Optimized Total Cost of Ownership (TCO)
- Reliable with Long Life Drum and Parts
- New and Advanced Technology

KYOCERA Document Solutions strives to be a company that contributes to the society and demonstrates a "Customer First" principle by providing customers with maximum value to increase their satisfaction. By adhering to the mission of producing document management devices that take balance between "Economy" and "Ecology", KYOCERA Document Solutions succeeds in developing document management devices with advanced technologies which help customers to optimize office productivity and efficiency at a low total cost of ownership and, at the same time, improving environmental performance.



With the TASKalfa 7054ci series you get:

User-friendly interface

Tablet-like functionality makes life easier. No more frustration at the printer!

Fast print and scan speeds

Get the documents you want when you need them and watch your productivity soar.

Smart and scalable solutions

Get your team working as one with solutions that help workflows run smoothly and efficiently.

Devices you can rely on

Kyocera devices are built to last the test of time. Get ready to say goodbye to costly downtime!

Optimal security

With in-depth security capabilities, you can be rest assured that your confidential data is safe with Kyocera.

Outstanding Image Quality

The TASKalfa 7054ci series gives you incredible image quality and outstanding colors with high resolution and superior image processing.



Delivers realistic image with high resolution

Provides printing resolution of 1,200dpi. You will enjoy sharp, detailed print results even in fine lines and small characters, giving your image a bright and vivid impression along with the realistic texture.

Impressive quality even for repeated copies

Reduces the color difference with accurate color matching when digital copying, and also avoids quality degradation during repeated photocopying.

Stable print quality



The 1000th page

Keeps the stability of color performance, no matter for the 1st page or the 1,000th or more.

Beautiful contrast



Existing model

Provides a better contrast with incredible deep blacks.

High gloss



Existing model


New model

Performs a glossy finishing on images.

Artificial Intelligence

Incorporating the latest technology, the devices provide a solution that will drive productivity by helping companies work smarter to produce higher quality results in less time than ever before.


With our latest AI technology, the TASKalfa 7054ci series enables users to emphasize or overwrite the handwritten parts of a document without changing the format or image when scanning. Moreover, users can now avail of the AI-powered Super Resolution function which helps breathe new life and enhanced quality into low-resolution photos and logo images.



Future-proof your business!

New Handwriting tool

The enhancement handwriting tool creates major advances in the user experience, making it easier to add better emphasis or highlight handwritten notes on a document, or to remove them altogether. The implications of this include: time saved, reduced waste (no need to reprint documents), and a greater capacity to share information. This could be especially useful in education, where scanning documents and note-taking are inevitable. Physical copies of documents can be shared, distributed, and written on, all while saving a lot of time and printing costs.



Detect and change handwriting color

Super Resolution feature

With the new AI functionalities, there's no need to invest extra time and effort to improve low resolution images. The KX printer driver supports the 'Super Resolution' function that compares information from images that already exist online, identifying and converting low-resolution images to higher resolution, creating slick, professional looking output. Pixelated images are smoothed to create more attractive and neater documents and visuals, ultimately this results in a better looking product that communicates more effectively, particularly beneficial for marketing materials where there are major demands for high-quality production.






Less confusion means less errors. With the TASKalfa 7054ci, you get a user interface that minimizes confusion and maximizes your capabilities, so that you can allocate more time to your other business operations.

Equipped with a **10.1-inch resistive display**, the new series boasts an **intuitive and easy-to-use**, **full-color touch panel**, while offering fast and simple access to a wide range of document management functions including HyPAS applications. Meanwhile, hardware keys are minimized, and users can enjoy a seamless transition between the user interfaces while using the **tablet-like display**.

The TASKalfa 7054ci combines a **simple**, **slick and fresh design with gesture-based operations**. With a clear emphasis on important information and easy to understand icons, users can enjoy a hassle-free printing experience.

Fewer pains. More gains.



l 5



Productivity You Can Rely On

To drive your productivity, two key areas must be addressed: Optimized printer performance and downtime. **The TASKalfa 7054ci series does both.** With the high print speed and Kyocera's reputation of highly reliable products, the TASKalfa 7054ci series delivers exceptional quality without the wait.

Re-energize the way you work.



Prevention > Cure

Seamless scan to folder set up, easy tilted documents correction, and staple detection ensures your team can continue to work at full velocity.



Performance Upgrades

Compared to its predecessor, the TASKalfa 3554ci offers close to a 10% increase in print speeds (35 ppm) while paper capacity has been boosted by 18.5% to 320 sheets.



Enhanced Fault Isolation Function

When a failure occurs in the MFP, only functions related to the failure are disabled, meaning other functions can be used after restarting, thus reducing user downtime.




Multi Cropping

Quickly and efficiently scan multiple receipts or business cards to digitize the data at once. Users can subsequently save each document separately in the relevant folder.

Enhanced Function for Scanning, Printing and Copying

In addition to high-speed printing, the Taskalfa 7054ci series boosts your productivity with a variety of output styles. Booklet binding, Z-folding, stapling, punching, etc. can be processed automatically by using a Z-Fold Unit or Inserter with Finisher.



Multiple cropping

This can make multiple receipts or business cards to digital data efficiently by scanning simultaneously, and saving them as individual files.





Scan up to 16 sheets at once

Autosave by page or file

Tilt correction

When scanning thick documents with a two-page spread such as books on the platen with open DP or Platen cover, it will auto detect and correct tilted page.



Auto detect tilt when scanning



Tilt correction

Set up of "Scan to Folder"

To send images scanned by the MFP to a folder on the PC via SMB, it is necessary to make complicated settings on the MFP and PC. Using this tool, you can easily set folder sharing settings and register in the MFP's address book by following the wizard, and setup can be completed smoothly.



Multi inserter

You can add two types of paper as cover paper or insert paper. In addition, by combining options such as saddle stitch, inner Tri-fold, and inner fold, you can perform a variety of post-processing that increases the value of printed materials. This makes it possible to create a wide variety of booklets with covers and simple catalogs.



* Only available on 60ppm/70ppm models

 $_{
m 6}$

Protect Your Business Against New Security Threats

Cyberthreats soar during periods of disruption. Today is no different.

Are you happy to leave the fate of your valuable documents and data to chance? With the TASKalfa 7054ci series, you don't have to run the risk.

The TASKalfa 7054ci series provide enhanced device and document security that address not only today's challenges, but the challenges of tomorrow as well. Security starts from the ground up and Kyocera ensures your data; your device and your network are always protected.

The following are just some of the standout security features of the TASKalfa 7054ci series:

Secure/Multipurpose Internet Mail Extensions (S/MIME)

Improves the security of email encryption by providing security for authentication, message integrity, the use of digital signatures and privacy and data security.

Simple Certificate Enrollment Protocol (SCEP)

Automatically ensures that the device has the latest security certificates and makes the issuing of digital certificates as effortless as possible.

Online Certificate Status Protocol/Certificate Revocation (OCSP/CRL)

Provides settings that can verify the validity of the certificates used in encrypted communications.

Security Information and Event Management (SIEM)

Provides the ability to log security events that help monitor potential unauthorized operations like malware, intrusions and information leakage.

TLS version 1.3 support

A faster, safer and more secure method of cryptography that encrypts data by providing secure communication between web browsers and servers.

Kyocera has been accredited with ISO 27001 certification, recognizing its commitment to the highest standards of information security management across the business.


Environment

At Kyocera, we are committed to doing the right thing as a human being. We work hand in hand with our customers and partners so that they get the solutions they need while we collectively reduce our overall carbon footprint. The new TASKalfa 7054ci series marks another important step in this strategy.

Equipped with ARM A53 (Quad Core) 1.6GHz CPU's to improve overall performance, energy consumption during sleep mode has been significantly reduced from 0.7W to 0.4-0.5W for both devices. Not only does this help boost your eco-credentials, you also save on your energy bills!

Use of eco-friendly toner originally developed by Kyocera

The use of nano-particle structure micro toner reduces the burden on the environment. Our exclusive formula does not include use of organic solvents, but only requires a very small amount of water during the production. The toner can be attached to the paper at low temperature, reducing the power consumption during printing.



Reusing emptied toner cartridges

The emptied black toner cartridge can be used as a container for wasted toner, which does not only reduces the generation of waste but also reduces the costs while saving resources.

Minimize standby power consumption

Reducing standby power consumption for printers and multifunction devices in offices is also one of the important environmental issue. Our exclusive power-saving controller minimizes the standby power in sleep mode without compromising your business operation and productivity.




TEC reduction

Equipped with an advanced energy-saving controller, the power consumption during sleep mode is able to be controlled at about 0.4W-0.5W.

Work more efficiently while reducing your carbon footprint.



Options



*Installation of either a document processor or a platen cover is required.

DOCUMENT PROCESSOR

DP-7140



DP-7160

Duplex scanning and copying for up to 320 sheets.



PLATEN COVER

Platen Cover Type(E)

Platen cover to secure originals on the platen glass.



*Installation of either PF-7140 or PF-7150 is required when configuring with PF-7120.

PAPER FEEDER

PF-7140

Double 600-sheet paper feeder



PF-7150

DP-7150

DP-7170

1,750 sheets (64g / m2) x 2 rows paper feeders set.

Duplex scanning and copying for up to 320 sheets with multi feed detection and staple detection.



PF-7120

Large-capacity paper feed deck that accommodates 3,500 sheets (64g / m2)



INNER SHIFT TRAY

Sorts and stacks output copies as separated sets per different jobs.

FINISHER ATTACHMENT KIT

Required when configuring with a finisher.

JS-7110

AK-7110

INNER FINISHER

Supports output up to 500 sheets. It also offers shift-sorting and stapling, and with additional punching option.

DF-7100

PH-7120

Punch unit for DF-7100.



FINISHER

DF-7120

1000-sheet finisher. Supports shift-sorting and stapling, with optional punch unit.



DF-7140

Stacking up to 4,000 sheets. Supports 2-tray sorting, shift-sorting and stapling, with optional punch unit, booklet folder, and Z-fold unit.



DF-7150

Stacking up to 4,000 sheets. Supports 2-tray sorting, shift-sorting and 3 types of 100-sheet stapling. with optional punch unit, booklet folder, and Z-fold unit.



ZF-7100

Device for Z-fold output.

* AK-7120 is required for configur

* Cannot configure with IS-7100.

* Only for 60ppm/70ppm models



IS-7100

Inserter for adding different media as separator pages and covers.
*AK-7110 is required for configuration.
*Cannot configure with ZF-7100.
*Only for 60ppm/70ppm models.



MT-730(B)

Mailbox for DF-7140.



BF-730

Booklet folder for DF-7140.



PH-7C

Punch unit for DF-7120/DF-7140.

NUMERIC KEYPAD

NK-7120

External numeric keypad with start, stop and reset controls.



BANNER TRAY

Banner Guide 10

Auxiliary part for banner paper feeding. Supports continuous paper feed up to 10 sheets.



Temporary place for documents.

DT-730(B)

DOCUMENT TRAY



OTHER OPTIONS

Fax System 12

For sending and receiving faxes. (Support maximum installation of 2 units)

Scan Extension kit (A)

Extended option for OCR scanning. Enables output of scanned documents into text searchable PDF, or further converting into Word, Excel, and PowerPoint formats.

Internet FAX Kit (A)

Supports fax function over the internet.

* The optional fax system is required separately.

HD-16

Expand HDD memory capacity to 1TB, more documents , and PDF files with larger file size can be printed directly.

Card Authentication Kit

For access control with IC card authentication.

* A separate card reader is required.

IC Card Reader

IC card reader for identity authentication.

* A separate IC card authentication kit is required.

INTERFACE

IB-37/IB-38

An expansion option that supports Wi-Fi (5GHz / 2.4GHz) and enables high-speed wireless LAN communication. Complies with wireless standard of EEB802.11a/b/g/n/ac, and allows use of infrastructure mode and Wi-Fi Direct at the same time.

IB-50

Expansion option for Network Connection Port (NIC). Enable connections of two LANs at one time

10 11

Model Main Function Writing Method												
Main Function			TASKalfa 2554ci	Main Specificat TASKalfa 3554ci	ions TASKalfa 4054ci	TASKalfa 5054ci	TASKalfa 6054ci	TASKalfa 7054ci				
			17.5Kana 2554CI	Mana 3334CI	Copy, Print, Sca		MSKana 9034CF	INSKAIIA 7034CI				
					Semicondu	ictor Laser						
CPU Print Speed (A4) (Mono/Color)			25/25 ppm	35/35 ppm	ARM A5: 40/40 ppm	3 1.6GHz 50/50 ppm	60/60 ppm	70/70 ppm				
		Simplex		ipm 33/33 ppiii	40/40 ррпі	эо/ эо ррии	осуво ррпп	70/70 ppiii				
Scanning Speed (A4) 300dpi	DP-7140	Duplex Simplex	16	ipm	80 i	- -						
Scanning Speed (A4) 300dpi	DP-7150	Duplex			481							
Scanning Speed (A4) 300dpi Dual Scan	DP-7160	Simplex Duplex	100 ipm 200 ipm		137 ipm 274 ipm							
Scanning Speed (A4) 300dpi Dual	anning Speed (A4) 300dpi Dual DR 7170 Simplex		100	ipm	137 ipm							
Scan with Duplex Feed Detection DP Memory		Duplex	200 ipm 274 ipm Standard 4GB (Max. 4GB)									
SSD/HDD Capacity			SSD 32GB (Standard) / HI	DD 320GB or 1TB (Optional)	Standard 40	SSD 64GB (Standard) / HDI	D 320GB or 1TB (Optional)					
Stable Time (From the mainpower ON)			18 se	conds		17 seconds		26 seconds				
Paper Capacity	Standard		2 x 500 sheets (Cassette) + 150 sheets (MPT) (A4 / Letter size or less equivalent to 80 g/m2) 2 x 600 sheets (Cassette) + 165 sheets (MPT) (A4 / Letter size or less equivalent to 64 g/m2)									
	Maximum		7,150 sheets (Main Unit + 2 x 1,500 sheets PF-7150 x1 + 3,000 sheets PF-7120 x1 + MPT)									
Paper Size	Cassette		Min. A6R - Max. SRA3(320mm x 450mm); Cassette 1 Min. A6R - Max. A4R (Legal)									
	Cassette		Min. A6R - Max. SRA3(320mm x 450mm) & Banner Print (1,220mm x 304.8mm) 52-300g/m2									
Paper Weight	МРТ				52~300g/m2 ; Banne	r paper 136~163g/m2						
Duplex Printing					Min. A6R - Max. SRA3(320mn							
Output Capacity Control Panel			10.1 inch resis	Max tive touch panel	c. 500 sheets + 100 sheets fac	e-down with Inner Job Separ 10.1inch Capacita						
Dimension (W x D x H) (Main Unit)					602mm x 665	mm x 790mm						
Weight (Main Unit)	Copy/Print	Mode	Appro 450W	x. 90 kg 590W	660W	Approx 780W	. 95 kg 990W	1,140W				
Power Consumption	Stand-by M			DW 390W	GOUVV	780W 45		1,14017				
(Standard Configuration)	Energy Sav				0.5							
Noise (ISO7779/ ISO9296)	Copy/Print (Mono/Colo	: Mode or)	66dB/67dB	68dB/69dB	70dB/70dB	71dB/71dB	73dB/73dB	74dB/74dB				
	Stand-by M	Mode			35	dB		<u>'</u>				
			Copy Functions (Standard)									
Copy Size Resolution				Sca	Max. A3 (Ledger) - M		lue					
First Copy Time (Mono/Color)			Scanning: 600 x 600 dpi ; Writing: 1200 x 1200 dpi multiple value 6.4/8.5 seconds 5.3/7.0 seconds 4.5/5.9 seconds 3.7/4.8 seconds 3.4/4.4 seconds									
	Manual				25% - 400% (
Multiple Copy					Print Functio	,						
Resolution					1,200 x 1,200 dpi ; 4,800 e	quivalent x 1,200 dpi level						
PDL & Emulation			70/02	T	L, PCL 5c), KPDL3 (Postscript			2.7/5.0				
First Print Out Time (Mono/Color) Supported Protocol		7.0/9.2 seconds	5.9/7.7 seconds	5.1/6.5 seconds TCP/IP(IPv4/I	4.3/5.4 seconds Pv6), Bonjour	3.8/5.1 seconds	3.7/5.0 seconds					
Operating System Supported				1	Windows 8.1/10, Windows Sei Mac OS X(10.9∼), (rver 2012/2012 R2/2016/2019						
Interface				Ethernet (1000Base-T/1	00Base-TX/10Base-T)x1, USE		ISB Host)x4, NFC TAGx1					
					Scan Function	ns (Standard)						
Original size		Table: Max. A3 (Ledger) DP: Max. A3 (Ledger) - Min. A6R (DP-7140 is A5R) Banner: Max. 1,900mm										
Resolution				600 x 600 dpi	, 400 x 400 dpi, 300 x 300 dpi,	200 x 200 dpi, 200 x 100 dpi,	200 x 400 dpi					
File Format			TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG compression/High-compression PDF), PDF/A-2, Encrypted PDF, Searchable PDF (Optional), MS Office file(Optional)									
Image Type Mode			Searchable PDF (Optional), MS Office file(Optional) Text, Photo, Text + Photo, Text (Fine Line)									
Send Method			SMB (Version 3.0), SMTP, FTP, FTPoverSSL, USB,									
Address Storage			TWAIN Source (Network), WIA Driver (Network), DFS, DSM 2,000 addresses (Common address list), 500 groups (Group address list)									
			Fax Functions (Optional)									
Original Size Coding Method				N	lax. A3 (Ledger) - Min. A6R (S MMR, MR							
Transmission Speed			33.6 kpbs									
Transmission Time Memory				Less than 3 se								
memory					Consumable							
			TK-8360 (C/M/Y):	TK-8370 (C/M/Y):	TK-8540 (C/M/Y):							
Toner Kit			12,000 pages TK-8360 (K): 25,000 pages	20,000 pages TK-8370 (K): 30,000 pages	20,000 pages TK-8540 (K): 30,000 pages	Т	K-8550 (C/M/Y): 24,000 pag TK-8550 (K): 40,000 pages					
				: 200,000 pages				MK-8545 (A), MK-8535 (I				
Maintenance Kit		MK-8345 (D/E	: 600,000 pages	MK-8535 (A/B): 600,000 pages			600,000 pages					
Waste Toner Bottle		WT-8500										
			DP-7150: 140 sheets I		ts RADF Type (TASKalfa 2554d eets One-path Duplex Scann			Duplex Scanning Type;				
Document Processor			PF		0: 1,500 sheets x 2 (A4/Letter			etter)				
		Finisher			DF-7100: Inner Finisher *No support for 70ppm; AK-7110: Attachment Kit; DF-7120: 1,000 sheets Finisher; DF-7140: 4,000 sheets Finisher with 65 sheets Staple; DF-7150: 4,000 sheets Finisher with 100 sheets Staple; PH-7C: Punch Unit for DF-7120/DF-7140/DF-7150; PH-7120: Punch Unit for DF-7100; MT-730(B): 7 Bin Mailbox for DF-7140; JF-7110: Inner Job Separator; IS-7100**: Inserter Unit; ZF-7100**: Z Folding Unit; BF-730: Booklet Folder for DF-7140; SH-714: Staple for DF-7150; SH-10: Staple for DF-7100/DF-7120/BF-730/BF-9100; SH-12: Staple for DF-7140; SH-14: Staple for DF-7150;							
Document Processor Paper Feeder Finisher			PH-7C: Punch Un IS-71	it for DF-7120/DF-7140/DF-71 00**: Inserter Unit; ZF-7100				F-7 130,				
Paper Feeder			PH-7C: Punch Un IS-71	it for DF-7120/DF-7140/DF-71 00**: Inserter Unit; ZF-7100		SH-12: Staple for DF-7140; SF						
Paper Feeder Finisher Fax System Internet FAX			PH-7C: Punch Un IS-7'	it for DF-7120/DF-7140/DF-71 00**: Inserter Unit; ZF-7100	00/DF-7120/BF-730/BF-9100; Fax Sys Internet I	SH-12: Staple for DF-7140; SH- tem 12 -AX Kit(A)						
Paper Feeder Finisher Fax System Internet FAX Card Authentication			PH-7C: Punch Un IS-7:	it for DF-7120/DF-7140/DF-71 00**: Inserter Unit; ZF-7100	00/DF-7120/BF-730/BF-9100; Fax Sys	SH-12: Staple for DF-7140; SF tem 12 FAX Kit(A) ication Kit(B)		-7130,				
Paper Feeder Finisher Fax System Internet FAX Card Authentication Gigabit Ethernet Board			IS-7 ¹	it for DF-7120/DF-7140/DF-71 00**: Inserter Unit; ZF-70 SH-10: Staple for DF-71	00/DF-7120/BF-730/BF-9100; Fax Sys Internet I Card Authent	SH-12: Staple for DF-7140; SF tem 12 :AX Kit(A) ication Kit(B)	1-14: Staple for DF-7150					
Paper Feeder Finisher Fax System Internet FAX Card Authentication Gigabit Ethernet Board Wireless LAN Interface Storage Device			IS-7 ¹	it for DF-7120/DF-7140/DF-71 00**: Inserter Unit; ZF-70 SH-10: Staple for DF-71	00/DF-7120/BF-730/BF-9100; Fax Sys Internet I Card Authent IB- Ilti-band support) / IB-38 (Wi	SH-12: Staple for DF-7140; SF tem 12 SAX Kit(A) ication Kit(B) 50 -Fi 2.4 GHz capable) *IB-38 fo 3, HD-16: HDD 1TB	1-14: Staple for DF-7150					
Paper Feeder Finisher Fax System Internet FAX Card Authentication			IS-7 ¹	it for DF-7120/DF-7140/DF-71 00**: Inserter Unit; ZF-70 SH-10: Staple for DF-71	00/DF-7120 BF-730/BF-9100; Fax Sys Internet I Card Authent IB- Ilti-band support) / IB-38 (Wi	SH-12: Staple for DF-7140; SF tem 12 AX Kit(A) ication Kit(B) 50 Fi 2.4 GHz capable) *IB-38 fo 3, HD-16: HDD 1TB sion Kit(A)	1-14: Staple for DF-7150					
Paper Feeder Finisher Fax System Internet FAX Card Authentication Gigabit Ethernet Board Wireless LAN Interface Storage Device Embedded OCR			IS-7 ¹	it for DF-7120/DF-7140/DF-71 00**: Inserter Unit; ZF-70 SH-10: Staple for DF-71	00/DF-7120/BF-730/BF-9100; Fax Sys Internet I Card Authent IB: III-band support) / IB-38 (WH) HD-15: HDD 320G	SH-12: Staple for DF-7140; SF tem 12 AX Kit(A) ication Kit(B) 50 -Fi 2.4 GHz capable) *IB-38 fo 3, HD-16: HDD 1TB sion Kit(A) Guide 10 7120	1-14: Staple for DF-7150					

Model			TASKalfa 5004i	TASKalfa 6004i	TASKalfa 7004i			
Main Function				Copy, Print, Scan, Fax (Optional)				
Writing Method				Semiconductor Laser				
CPU				ARM A53 1.6GHz				
Print Speed (A4)			50 ppm	60 ppm	70 ppm			
Si Sd (A4) 200d-i	DD 7450	Simplex		80 ipm				
Scanning Speed (A4) 300dpi	DP-7150	Duplex		48 ipm				
Fearning Speed (AA) 200dpi Dual Sean	DD 7160	Simplex		137 ipm				
Scanning Speed (A4) 300dpi Dual Scan	DP-7160 Duplex			274 ipm				
Scanning Speed (A4) 300dpi Dual	DP-7170	Simplex		137 ipm				
Scan with Duplex Feed Detection DP	DI -7 17 0	Duplex		274 ipm				
Memory				Standard 4GB (Max. 4GB)				
SSD/HDD Capacity			SSD 640	GB (Standard) / HDD 320GB or 1TB (Op	ptional)			
Stable Time (From the mainpower ON)			17 seconds					
	Standard			150 sheets (MPT) (A4 / Letter size or I 165 sheets (MPT) (A4 / Letter size or I				
Paper Capacity								
	Maximum			+ 2 x 1,500 sheets PF-7150 x1 + 3,000 s				
Paper Size	Cassette MPT Cassette			(320mm x 450mm); Cassette 1 Min. Al	-			
			Min. A6R - Max. SRA3(320mm x 450mm) & Banner Print (1,220mm x 304.8mm)					
aper Weight Cassette		52-300g/m2 52-300g/m2 : Ranner paper 136-163g/m2						
Duplex Printing			52-300g/m2 ; Banner paper 136-163g/m2 Paper size: Min. A6R - Max. SRA3(320mm x 450mm) ; Paper weight: 60-256g/m2					
Output Capacity				ets + 100 sheets face-down with Inner				
Control Panel			wax. 500 Stree	10.1inch Capacitance touch panel	, Jeparator			
Dimension (W x D x H) (Main Unit)				602mm x 665mm x 790mm				
Weight (Main Unit)				Approx. 83 kg				
	Copy/Print	Mode	660W	770W	805W			
Power Consumption (Standard configuration)	Stand-by M		·	40W				
(Standard configuration)	Energy Sav			0.4W				
	Copy/Print		71dB	73dB	74dB			
Noise (ISO7779/ ISO9296)	Stand-by M			35dB				
				Copy Functions (Standard)				
Copy Size			Maximu	um A3 (Ledger) - Minimum A6R (State	mentR)			
Resolution			Scanning: 600 x 600 dpi ; Writing: 1200 x 1200 dpi multiple value					
First Copy Time			3.7 seconds 3.4 seconds					
Zoom Ratio	Manual			25% - 400% (1% per Step)				
Multiple Copy				1 - 9,999				
				Print Functions (Standard)				
Resolution			1,200 x	1,200 dpi ; 4,800 equivalent x 1,200 d	pi level			
PDL & Emulation			PRESCRIBE, PCL6 (PCL-XL, PCL 5e), I	KPDL3 (Postscript 3 compatible), XPS,	OpenXPS, PDF Direct Print Ver. 2.0			
First Print Out Time			4.3 seconds	3.8 seconds	3.7 seconds			
Supported Protocol				TCP/IP(IPv4/IPv6), Bonjour				
Operating System Supported			Windows 8	3.1/10, Windows Server 2012/2012 R2/	2016/2019,			
				Mac OS X(10.9∼), Google Chrome OS				
Interface			Ethernet (1000Base-T/100Base-T)	K/10Base-T)x1, USB 3.0x1, USB Host In	nterface (USB Host)x4, NFC TAGx1			
				Scan Functions (Standard)				
Original Size			DP: M	Table: Max. A3 (Ledger) lax. A3 (Ledger) - Min. A6R (DP-7140 is	ASR)			
				Banner: Max. 1,900mm				
Resolution			600 x 600 dpi, 400 x 400	dpi, 300 x 300 dpi, 200 x 200 dpi, 200	x 100 dpi, 200 x 400 dpi			
File Format				MR/JPG compression/High-compressi				
				nable PDF (Optional), MS Office file(Op				
Image Type Mode				ext, Photo, Text + Photo, Text (Fine Lin				
Send Method			SMB	(Version 3.0), SMTP, FTP, FTPoverSSL, arce (Network), WIA Driver (Network)	USB,			
					· ·			
Address Storage			2,000 addresses (Common address list), 500 groups (G	roup address list)			
Original Size				Fax Functions (Optional)				
Original Size			Max. A3 (Le	dger) - Min. A6R (StatementR), Banne	r: ı,ouUmm			
Coding Method Transmission Speed				MMR, MR, MH, JBIG				
Transmission Speed Transmission Time				33.6 kpbs Less than 3 sec. (With JBIG)				
Memory				170MB				
memory				Consumables & Options				
Toner Kit				TK-6340: 40,000 pages				
Maintenance Kit			1к-6540: 40,000 pages MK-6345: 600,000 pages					
Waste Toner Bottle			WT-8500					
			DP-7150: 140 sheets RADF Type; DP-7160: 320 sheets One-path Duplex Scanning Type;					
Document Processor			DP-7150: 140 Sheets KADF type; DP-7160: 320 Sheets Une-path Duplex Scanning type; DP-7170: 320 sheets One-path Duplex Scanning Type with double paper feeding detector					
Paper Feeder			PF-7140: 500 sheets x 2; PF-7150: 1,500 sheets x 2 (A4/Letter); PF-7120: 3,000 sheets Large capacity side deck (A4/Letter					
				ort for 70ppm; AK-7110: Attachment K				
			DF-7140: 4,000 sheets Finisher with	65 sheets Staple; DF-7150: 4,000 shee DF-7120/DF-7140/DF-7150; PH-7120: P	ets Finisher with 100 sheets Staple;			
Finisher			MT-730(B): 7 Bin Mailbox fo	r DF-7140; JS-7110: Inner Job Separato	or; IS-7100**: Inserter Unit;			
				30: Booklet Folder for DF-7140; BF-91 0/BF-730/BF-9100; SH-12: Staple for D				
Fax System				Fax System 12	• • •			
Internet FAX			Internet FAX Kit(A)					
Card Authentication			Card Authentication Kit(B)					
Gigabit Ethernet Board				IB-50				
			IB-37 (Wi-Fi 2.4 GHz/5 GHz multi-band sı		e) *IB-38 for Indonesia. Bandladesh onl			
Wireless LAN Interface				HD-15: HDD 320GB, HD-16: HDD 1TB				
				Scan Extension Kit(A)				
Storage Device								
Wireless LAN Interface Storage Device Embedded OCR Banner Paper Tray				Banner Guide 10				
Storage Device Embedded OCR Banner Paper Tray								
Storage Device Embedded OCR				Banner Guide 10				

**for Color/Mono 60ppm/70ppm only, support for DF-7140/7150 (AK-7110 is required to connect), AK-7120 is required to add Z-Fold Unit in order to connect with Finisher.

12 13

Kyocera Document Solutions has championed innovative technology since 1934. We enable our customers to turn information into knowledge, excel at learning and surpass others. With professional expertise and a culture of empathetic partnership, we help organizations put knowledge to work to drive change.

KYOCERA Document Solutions Asia Limited

13/F, Mita Centre, 552-566 Castle Peak Road, Tsuen Wan, N.T., Hong Kong Tel: +852-2496-5678 / Fax: +852-2610-2063



www. ky ocera document solutions. as ia