

> PRINT > COPY > SCAN > FAX

TASKalfa 5003i TASKalfa 6003i

MONOCHROME MULTIFUNCTION PRODUCT FOR A4/A3 FORMAT

FULL FUNCTIONALITY DEPENDABLE AND VERSATILE



- Sharp image quality with real 1,200 x 1,200 dpi printing resolution.
- Quick first copy time in just 3.4 seconds and fast warm up time 17 seconds*.
- Standard 320GB hard disk capacity and 4GB RAM to meet heavy duty tasks without additional hard drive.
- Support A6 original scanning from Document Processor with fast dual scan speed up to 220/220 ipm A4 Mono/Color** to facilitate digitalization of document for easy storage and retrieval.
- Support SRA3 size (320mm x 450mm) & 300g/m2 paper from standard cassette.
- Allow Banner Print and Scan for easy in-house banner production.
- Semi auto self-closing paper cassette.
- Support different types of robust optional Finisher.

*For TASKAIfa 6003i ** When using optional Document Processor DP-7130



Born to be Extraordinary

KYOCERA Document Solutions is Extraordinary for


- Broad Range of Multifunction Devices and Printers
- Optimized Total Cost of Ownership (TCO)
- Reliable with Long Life Drum and Parts
- New and Advanced Technology

KYOCERA Document Solutions strives to be a company that contributes to the society and demonstrates "Customer First" principle by providing customers with maximum value to increase their satisfaction. By adhering to the mission of producing document management devices that take balance between "Economy" and "Ecology", KYOCERA Document Solutions succeeds to develop document management devices with advanced technologies which help customers to optimize office productivity and efficiency at a low total cost of ownership and, at the same time, improving environmental performance.

Exceptional Reliability and Dependable

These new TASKalfa models are prominent for top reliability and productivity and to increase work efficiency. Support KYCOERA HyPAS-enabled solutions platform, these devices allow seamless integration with customized workflow solutions to streamline complex tasks, manage costs, and enforce high security.

Robust and Versatile Paper Handling Options for Your Choice






Striking Functionalities to boost Productivity and Work Efficiency at lower cost


- Program Shortcut: Streamline scan and copy workflows with shortcut keys and up to 50 job programs.
- Test Copy: Reduce miscopy when copying large volume by using the Test Copy mode.
- Duplex Preview: Display both front and back sides before printing (Copy/Box Print function).
- Skip Blank Page: Blank page is skipped during making scans/copies to save unnecessary cost.
- Dedicated Preset Copy Mode for Special Original Media: Newspaper Copy, Technical Drawing Copy, ID Copy.
- Prevent Bleed-thru: Remove unwanted background when copying or scanning printed double-sized thin paper (e.g. newspaper, NCR paper, and magazine).
- Carbon Copy: Print an additional copy or copies of a document from a different media source or using a different media type.
- Banner Send & Print: Scan and produce banner with various paper weight in-house anytime in need (One-sided only).



• Customize Scan Split: Scan by split at specified page and allow send all scan files via one email or send files separately by emails.



- USB Scan to/Direct Print: Scan to or print directly from USB Memory in PDF, PDF/A, TIFF, JPEG or XPS format.
- Scanned Image File Size Check: Check the actual scanned document • size does not exceed limit before actual sending to e-mail.
- FTP/SMB/Email/Fax Multi-Sending: Send document to different destinations (email addresses, folders, etc.) in a single scan operation.




Simple Fax Forwarding: Forward any incoming fax to other destinations by Email, SMB or FTP (Optional).



- · i-FAX Sending (Optional): Send and receive i-FAX without the mail service by installing Direct SMTP function.
- Job Skip: Automatically prioritize the error print job to avoid machine come to a halt in case of

2. Mismatched paper size

1. Paper empty in specific tray



Job Finish Notice: Send email notification to specified user when a copy/scan job is completed.



OK



Key Features to Help Complete Tasks Easier and Faster

• Intuitive 10.1 Inch Color Touch Panel with Easy Navigation: Excellent clarity 10.1 inch color touch panel display with swivel type operability similar to smartphone and tablet and tiltable from 15 degree to 00 degree



- Convenience to use Keypad: With on-screen virtual numeric keypad and optional hardware keypad, users can type in with ease.
- Customizable Home Screen: All commonly used functions and applications are set as default on Home Screen. The Home Screen can be customized easily to meet different user (or Group User) needs for immediate access to commonly used functions.
- Printer Driver's Quick Print Tab: Create and save frequently used custom profiles as graphic icons to allow programming of complex jobs in one click.
- Custom Box: Ease-of-use Custom Box provides long term job storage at device, allowing users to securely print and store jobs on the device and output them when required.
- Motion Detector: Detect people approching MFP to wake up from Energy Saving Mode automatically and return to the Energy Saving Mode after job is completed.




• Semi auto self-closing cassettes: Cassettes auto drawing to close within 40mm.



Smart Business Applications for Mobile Devices to Enhance Mobility

- KYOCERA Capture Manager: A powerful document capturing software product that streamlines business workflow by digitizing documents. It enables to capture the documents from virtually any source from an MFP, network scanner, Web browser, Email, hot-folder and smartphone. Once documents are captured, and it goes through image processing, and those processed documents can be converted into a variety of formats, such as text searchable PDFs or Office format, and finally distribute to different business systems (Email, Folder, Cloud, DMS/ECM, ERP).
- KYOCERA Mobile Print: An app-based solution that enables users to simply and conveniently print documents, web pages, and images on demand from virtually anywhere, on their Apple and Android smartphone and tablet devices to select KYOCERA MFPs and printers. Users can also scan files and images from same MFPs to their mobile devices. Our devices also support AirPrint for iPhone and iPad.
- KYOCERA MyPanel: Use smartphone or tablet to connect a compatible networked KYOCERA printing device on your local Wi-Fi network wirelessly. Users can perform COPY/PRINT/SCAN from Custom Box or Cloud^{##} by mobile devices with personalize settings.



- KYOCERA Cloud Connect (Optional): Retrieve and print files in Google Drive and Evernote[®], a cloud service provider, directly from any KYOCERA HyPAS-enabled MFPs. Users can even upload scanned files directly to Google Drive and Evernote[®] – directly from the MFP, without going through a computer.
- Support WiFi Direct: Support IB-35 Wireless LAN (Optional), makes print/scan via AirPrint/Google Cloud Print/Mopria/KYOCERA Mobile Print/KYOCERA MyPanel much easier.
- NFC (Near Field Communication): Built-in at Control Panel to connect with Andriod devices.

4

iPhone

iPad


Notebook PC

Android



Diverse Document Secure System and Business Applications for Advanced Security

- Password Protection Setting: Allow administrator to set Password Policy to limit user access to designated capacity.
- **Private Print:** Release print job at the device by entering a preset four-digit access code when making a print at KYOCERA KX Driver.
- With the aid of Network Authentication, IT Department can manage user authentication easily by incorporating with centralized Authentication Server (NTLM, Kerberos, KYOCERA Net Manager*).
- FAX Memory Overwrite (Optional): Erase FAX memory after sending or receiving for confidentiality.
- M-Files (Optional): Manage all information e.g. documents, projects and business processes etc and adds intelligence by combining it with information from other systems (like SharePoint, Salesforces and SAP). This ensures you always find what you need, no matter what system you are using.



- Server
 Image: Server
- Security Watermark: Distinguish original from copies and provides protection for sensitive document against duplication.
- **KYOCERA Data Security Kit:** Encrypt data before storing in the hard drive and automatically overwrite all data stored in the hard drive once you have finished printing, copying and scanning.



• Card Authentication Kit (Optional): Prevent unauthorized data access to device, manage and control usage with IC Card Authentication.



Eco-Friendly

Design for energy savings

- Fast warm up: With the new IH fuser, the warm up time is shorter and power consumption is less.
- Weekly Timer: Allow administrator to preset the machine on and off time to maximize power savings.
- EcoPrint: Flexible EcoPrint setting to consume less energy and toner.
- Energy Saver: 1.0w or less power consumption at Energy Saver Mode.

Protect the environment

- Leading Long-life KYOCERA proprietary Amorphous Silicon (a-Si) Drum (with a lifetime of 600,000 prints), developer and component parts to reduce waste.
- Parts for Recycling.
- Non-toxic Materials.
- Quiet operation design for a comfortable Working Environment.
- Innovative black toner cartridge design with an expired one to be switched over for use as a waste toner container.







Eco Mark (Japan)

EcoLeaf Environmental Label (Japan) Gre

Law on Promoting Green Purchasing (Japan)

KYOCERA Document Solutions has been actively promoting the acquisition of various environment labels, aiming to provide products that are safe and comfortable for our customers to use and have minimal environmental impact.




User-friendly Utilities and Applications to put Management and Control at Ease

Smart utilities for managed print and minimize related device management costs.

 KYOCERA Command Center RX: By using а web brower, the authorized administrator can access the built-in KYOCERA Command Center RX and check the operation status of the device, toner level, paper availability, as well as change settings related to security, network printing and advanced network setting etc.

A Arm	14	-			(A) Main	20110	NON BRIDDE		
Adventurgie	Data See								
C Line have	3444				Bill .				
Parent	(i)	· Anth							
-147	13	 feet 							
	@ 1000	-				1			
Classic 1	Colomba Treat Lines								
Conception 1	1.0	4			NAME AND ADDRESS OF AN				
Carrier from 1	4								
- and	Terr								
	there :	114		T)04	CHER	2014			
	Caneta-1		1	Ret			395		
	Crowth 2	48	-	-	-	L	ph.		
	Exectle (-	0	hei	- 100	1	arts.		
	Canada d	100	100	Hat		1.1	194		

• KYOCERA Net Viewer: A comprehensive network management tool used to monitor, maintain, and update up to 100 network printing devices locally and remotely. Through KYOCERA Net Viewer, administrators can simply install and update firmware on all KYOCERA connected devices while easily monitoring printed black/color pages, device configuration, accounting, toner usage, and alerts. By implementing KYOCERA Net Viewer, the manpower required to monitor connected devices is greatly reduced.



- KYOCERA Net Manager (Optional): Protect confidential data, manage & control the overall output (copy/print/scan) and get detailed reports. Users can keep an overview of personal printing jobs with web browser. It greatly simplifies scanning processes as it automatically displays a set of personalized options.
 - By adding the Card Authetication Kit (Optional) for KYOCERA Net Manager, you are able to swipe ID Card to get print document directly. User administrator can also set the IC Cards to allow quick and secure access with pre-defined user restrictions such as color output restrictions and output quota.

India				Main Specifications							
Mini Brand Weing VarleyUGray First, Son Bra Opport Son Brand Son B	Model										
Weight get with a secondaria lawProt Sec Prot Secondaria law66 gasProt Sec Prot Secondaria law66 gasSecondaria law99-730Secondaria lawSecondaria law											
Series Dec 1000 Dec											
Not specify and sp											
Samang see in a sec in a		Mono)									
(ii) Non-Constraints (iii) Non-Constraints (iii) Non-Constraints (iii) Non-Constraints (iii) Non-Constraints (iii) Non-Constraints (iii) Non-Constraints (iii) Non-Constraints (iiii) Non-Constraints (iiii) Non-Constraints (iiii) Non-Constraints (iiii) Non-Constraints (iiii) Non-Constraints (iiii) Non-Constraints (iiiii) Non-Constraints (iiiii) Non-Constraints (iiiii) Non-Constraints (iiiiii) Non-Constraints (iiiii) Non-Constraints (iiiiii) Non-Constraints (iiiiii) Non-Constraints (iiiiii) Non-Constraints (iiiiiii) Non-Constraints (iiiiiii) Non-Constraints (iiiiiii) Non-Constraints (iiiiiii) Non-Constraints (iiiiiiii) Non-Constraints (iiiiiiiii) Non-Constraints (iiiiiiiiiii) Non-Constraints (iiiiiiiiiiiiiiiii) Non-Constraints (iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii			Simplex								
(M) MOX/GUFigs(Mox/CuFigs(Mox/CuFigs(Mox/CuFigs(Mox/CuFigs(Mox/CuFigs(Mox/CuFigs(Mox/CuFigs(Mox/CuFigs(Mox/CuFigs </td <td></td> <td></td> <td></td> <td></td>											
Series with a set in the set in	Scanning Speed	DP-7110	Simplex	100/100 ipm							
(A) Mode (A)		Scan (Mono/Color)	Duplex	180/180 ipm							
<table-container>Non-WeightNote:<td colspan="3">Scanning Speed (A4) 300dpi Dual DP-7130 Simplex</td><td colspan="7">120/120 ipm</td></table-container>	Scanning Speed (A4) 300dpi Dual DP-7130 Simplex			120/120 ipm							
International of the local Constraint of Co	Scan with Double (Mono/Color)		Duplex	220/220 iom							
StayDordStayDor	Feed Detector		Buplex								
Heid Biscury Ling Second (Biscury Ling) Second (Biscury Ling) Name Cing Sec											
Warn by Torong ConcernanceConcernancePart Case Concernan											
Piper Gam BiolectionSince State		KIT									
Image in the stand i											
Piper Box Case III - International Control Internate Contreconal Control International Control Internatio Control											
piper wig Cassete Cassete Cassete Diple Simite Cassete Cas	Paper Size										
MPT 0		MPT									
Dippler bins Images data Adda Adda<	Paper Weight Cassette										
Output Jest Jest Jest Jest Jest Jest Jest Jes				ů,							
Control (Mark Lot) Inch Cabr Touh (Cohe Pail Meiget (Mark Lot) Inch Cabr Touh (Cohe Pail Meiget (Mark Lot) Copy Pain (Mark Lot) Resource Construction Meiget (Mark Lot) Copy Pain (Mark Lot) Resource Construction More Construction Copy Pain (Mark Lot) Resource Construction Stando Y More Copy Pain (Mark Lot) Resource Construction Stando Y More Copy Pain (Mark Lot) Resource Construction Stando Y More Copy Pain (Mark Lot) Resource Construction Copy Pain (Mark Lot) Copy Pain (Mark Lot) Resource Construction Stando Y More Construction Copy Pain (Mark Lot) Resource Construction Copy Stando Y More Construction Copy Pain (Mark Lot) Resource Construction											
Denses VY D +10 Man 0.00000000000000000000000000000000000											
<table-container> Weight Weight Set Set Set Set Set Set Set Set Set Se</table-container>		H) (Main Linit)									
Power Consumption Configured Configured (WO 7729 / S02290) Samd by Mode 9700// 9700/// Corp Start (WO 7729 / S02290) Samd by Mode 0.7W 72dB(A) Corp Start (WO 7729 / S02290) Samd by Mode 72dB(A) 72dB(A) Corp Start (WO 7729 / S02290) Samd by Mode 0.72dB(A) 72dB(A) Corp Start (WO 7729 / S02290) Samd by Mode 0.3.7 accords 3.4 seconds Fac Corp Time Korn Fac Corp Time Korn (Mutple Corp Corp Start Korn (Mutple Start Korn (Start Motple Start Korn (Start Motpl											
Stand of configuration Same by Mode Image Sover Other Sover Other Sover Configuration Same by Mode 0.7W Toda(A) Toda(A) Copy Frint Mode 2148(A) Toda(A) Toda(A) Copy Site Copy Frint Mode Copy Frint Mode 3.4 seconds Copy Site Copy Frint Mode 3.4 seconds 3.4 seconds Copy Site Copy Frint Mode 3.4 seconds 3.4 seconds Copy Site Copy Frint Mode 3.4 seconds 3.4 seconds Copy Site Copy Frint Frint Frint Conton (Standdr) 19999 Copy Site Copy Frint Frint Frint Conton (Standdr) 19999 Resolution Copy Frint Frint Conton (Standdr) 3.4 seconds Supported Protocol Copy Frint Frint Conton (Standdr) 3.4 seconds Supported Protocol Copy Frint Mode 3.4 seconds Supported Protocol Copy Frint Frint Conton (Standdr) Stand Frint Frint Conton Standdr) Copy Frint Frint Conton Tree (Standdr) Stand Frint			de								
Control Concy Stand Concy Stand Concy Stand Concy Stand (SOP 779) (SOP 200) Stand by Mode COPy Stand Concy Copy Stand Concy Copy Stand Copy Stand Concy Copy Stand Concy Copy Stand Concy Resolutor Copy Stand Concy Stand Stand Concy Stand Stand Concy Resolutor Concy Stand Concy Stand Stand Concy Stand Stand Concy Resolutor Concy Stand Concy Stand Stand Concy Stand Stand Concy Resolutor Concy Stand Concy Stand Stand Concy Stand Stand Concy Resolutor Concy Stand Concy Stand Stand Concy Stand Stand Concy Resolutor Concy Stand Concy Stand Stand Concy Stand Stand Concy Resolutor Concernance Concy Stand Concy Stand Stand Concernance Concy Stand Concernance Concy Stand Concernance Concernace Concernance Concernance Concernance Concernance Concernance											
Noise (907779/ ISO9250) Copy Print Mode Stand-by Mode 73dB[A] Copy Size Copy Size First Copy Time (Mone) Copy Functions (Standard) Copy Size First Copy Time (Mone) 0.3.7 seconds 0.4.8 seconds Copy Time (Mone) 0.3.7 seconds 0.4.9 seconds Copy Time (Mone) 0.3.7 seconds 0.4.9 seconds Com Ratio (Marual) Marual 0.4.9 seconds Com Ratio (Marual) Marual 0.4.9 seconds Predefined 0.4.9 seconds 0.4.9 seconds First Copy Time (Mone) 0.9.9 Print Functions (Standard) 0.9.9 Print Functions (Standard) Predefined 0.9.9 Print Functions (Standard) 2.8.9 seconds Supported Protocol 0.9.9 Print Functions (Standard) 2.9.9 seconds </td <td>configuration)</td> <td></td> <td>e</td> <td></td>	configuration)		e								
(190779/190296) Sand-ky Mode Copy Functions (Standard) Copy Size Copy Functions (Standard) Copy Size 600 Ave. A3 (Logil) - Min. AR Resolution 600 Ave. A3 (Logil) - Min. AR Resolution 600 Ave. A3 (Logil) - Min. AR Resolution 2.7 seconds Copy Time (Monio) 2.7 seconds Zoom Reid Manual Prote-defined 7455 Multiple Copy Prote-defined Prote-defined 7455 Multiple Copy Prote-defined Pol. PESCENE_PCL, LINE Los (Note Standard) Resolution 1.200 4 J.200 6 H. 200 Genuments 1.200 0 fol Revel Pol. PESCENE_PCL (CAL, LPCL 56, NE/LO [Postscript 3 compatible), XEP, OpenVEP, DFD Direct Print Ver. 1.7 Standard Standard TCP/IP, NEBUJ. FTP, NetFOL [Postscript 3 compatible), XEP, OpenVEP, DFD Direct Print Ver. 1.7 Standard Standard TCP/IP, NEBUJ. FTP, NetFOL [Postscript 3 compatible), XEP, OpenVEP, DFD Irect Print Ver. 1.7 First First Durit Time (Monio) 4.3 seconds Supported Torol TCP/IP, NEBUJ. FTP, NetFOL [PSL VI/Modows Server 2012, Windows Server 2012, Wind	Noise		de								
Copy Size Copy Functions (Standard) Copy Size Max.31 (appl Min. AGR 600 x 600 ql) First Copy Time (Mono) 3.7 seconds 3.4 seconds Con Ratio (Manual) Manual 3.4 seconds 3.4 seconds Con Ratio (Manual) Manual 3.4 seconds 3.4 seconds Visitiple Copy Pre-defined 3.4 seconds 3.4 seconds 3.4 seconds Resolution 1 = 999 1 900 1.200 x 1.200 dpi .4.300 dpi .et/s0.00 genv/Step PD 2.8 seconds PDIL PTRE Exercitient (Mono) 0.4 3 seconds 3.8 seconds 3.8 seconds Supported Protocol CVPAP NetBUL (PR ever 500.0, PR.P. (PP over 502./ Vindows Server 200.2, Windows Server 20.2, Windows Server 2		C)									
Corp Size Max AB Resolution 600 c G0 dpi First Corp Time (Mond) 3.7 seconds 600 dpi Predefined 2.5% - 600% (1% per Step) Predefined 7.5% Mutbje Corp 1 - 9999 Resolution 1 - 9999 Resolution 1.200 x 1.200 dpi (seq G0 quivalent x 1.200 dpi lovel) Resolution 1 - 9999 Resolution 1 - 9999 Resolution 1 - 9999 Resolution 1 - 9999 Resolution 3 - 8 conds Supported Proces (Standard) 3 - 8 conds Supported Proces (Standard) 3 - 8 conds Operating System Supported Windows Server 2008, Wind		Stand-by Wood	e								
Resolution 600 400 Tack Copy Time (Mono) 0.3.7 seconds 0.3.6 seconds Tack Copy Time (Mono) 0.3.7 seconds 0.3.7 seconds Multiple Copy 0.9.9 (Mono) 0.9.9 (Mono) Resolution 1.9.999 Resolution 1.200 4.1.200 dpi.4.800 equivalent x 1.200 dpi.ell PDL 0.9.7 (Mono) 3.8 seconds 3.8 seconds Supported Protocol 0.9.7 (Mono) 3.8 seconds 3.8 seconds Supported Protocol 0.9.7 (Mono) 8.9 (Mono) 8.9 (Mono) 8.9 (Mono) Operating System Supported Window Server 200.2 (Mindows Server 200.2 (Mind											
First Copy Time (Monc) 3.7 seconds 3.4 seconds 20on Ratio Pre-defined 7854 Multiple Copy 1 – 9999 Multiple Copy 1 – 9099 Resolution 1,200 x 1,200 d (k, 4000 e quivalent x 1,200 o (k) elvel PDL PRESCRIBE, PCL6 (PCL-LX, PCL-6), KPD13 (Postor) (k, 4000 e quivalent x 1,200 o (k) elvel Supported Protocol 3.8 seconds Supported Protocol 3.8 seconds Supported Protocol TCP/IP, NetEUL (H, PP, Not 9100, LPR, PP, PP, vor SSJ, TL, Sup Port, Apple Bonjoar Operating System Supported Windows Server 2008, Windows Server 2008, K, Windows S, Windo											
Manual Pre-defined Massian Residence 785 c Multiple Copy 9999 Residuation 1-9999 Resolution 1,200 x 1,200 dpi (stoo devilvalent x 1,200 dpi (stoo PDL 0 985 condition Supported Protocol 0 8.3 seconds 3.8 seconds Supported Protocol 0 8.3 seconds 3.8 seconds Operating System Supported Windows Server 2012, Windows Server 2		(000)									
Pre-defined PRSE Multiple Copy 1=999 Resolution 1,200 x 1,200 dpl v,4800 equivalent x 1,200 dpl vel PDL PRESCRIBE, PCL (FCL, VL, PCL, SP), KPD13 (Postcript z compatible), KPS, OpenXPS, PPT Diret Print Ver. 1.7 First Print Out Time (Mono) 3.8 seconds Supported Protocol 3.8 seconds Operating System Supported Windows Server 2003, Windows Server 2008 R2, Windows S, Wind											
Multiple Copy 1 - 999 Print Functions (Standard) Resolution 1,200 x 1,200 dpi,4800 equivalent x 1,200 dpi level Resolution PBESCRIBE, PCL6 (PCL-XL, PCL Se), KPD (Descript 3 compatible), XPS, OpenXPS, PD Direct Print Ver. 1.7 First Print Out Time (Mono) A 3 seconds 3.8 seconds Supported Protocol TCP/IP, NetBEU, FTP, Der 1900, UPR, IPP, IPP over SU/TLS, WSD Print, Apple Bonjour Operating System Supported Windows Server 2008, W											
Resolution 1,200 x 1,200 dpi; 4,800 equivalent x 1,200 dpi level PDL PPL PRESCRIBE, PCLG (PCL-XL, PCL 56, NCPL3 (Postcript 3 compatible), XP5, OpenXP5, PDF Direct Print Ver. 1.7 First Print Out Time (Mono) 4.3 seconds 3.8 seconds Supported Protocol TCP/IP, NetBEU, FTP, Port 9100, LPR, IPP, IPP over SSL/TLS, WD5 Print, Apple Bonjour Operating System Supported Windows Server 2003, Windows Server 2003, Windows Server 2012, Windows Serve											
Resolution 1,200 x 1,200 dpi; 4,800 equivalent x 1,200 dpi level PDL PPL PRESCRIBE, PCLG (PCL-XL, PCL 56, NCPL3 (Postcript 3 compatible), XP5, OpenXP5, PDF Direct Print Ver. 1.7 First Print Out Time (Mono) 4.3 seconds 3.8 seconds Supported Protocol TCP/IP, NetBEU, FTP, Port 9100, LPR, IPP, IPP over SSL/TLS, WD5 Print, Apple Bonjour Operating System Supported Windows Server 2003, Windows Server 2003, Windows Server 2012, Windows Serve				Print Functions (Standard)							
PDL PRESCRIBLE, PCLS (PCL, YL, PCLS (P, Storpt 3 compatible), XPS, OpenXPS, PDF Direct Print Ver. 1.7 First Print Outme (Mono) 4.3 seconds 3.8 seconds Supported Protocol TCP/IP, NetBEUI, FTP, Port 9100, LPR, IPP, PP ever SSL/TLS, WSD Print, Apple Bonjour Operating System Supported Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Serv	Resolution										
First Print Out Time (Mono) 3.8 seconds Supported Protocol TCP/(P, NEB/EU, FTP, Port 190.0, PK, PP, IPP) Pore SSUTLS, VSD Storik, Apple Bonjour Operating System Supported Windows Server 2008, Windows Server 2008, Windows Server 2012, Windows Server 2012, Windows S. Windows S. Windows S. J., Apple Macintosh OS X 10.5 or later, Linux Interface USB 2.0 High Speedx1; Ethernet 108ASE -T/100BASE-T/100BASE-T/SB Host Interface (USB Host)x4; NFC TAGx1 USS Memory Printing Format Constructions (Standard) Color Selection Auto Color (Color//Gray); Auto Color (Color//SW, IVI Color, Grayscale; Black & White Resolution OBCOMPAP, PDP, MRL, PDP Constructions (Standard) Color Selection Auto Color (Color//Gray); Auto Color (Color//SW, IVI Color, Grayscale; Black & White Resolution TIFF, IPEG, RS, OP, OPRP, PDF, DF(MRL/PEC compression/Fugh-compression PDF), DF/A, Encrypted PDF, Searchable PDF (Optional) Image Type Mode TIFF, IPEG, RS, OpenRPS, PDF (MRL/PEC compression/Fugh-compression PDF), PDF/A, Encrypted PDF, Searchable PDF (Optional) Original Size Comstant Stant on SMB; Scan to E-mail; Scan to USB; TVAIN Scan; WSD Scan Address Storage 2.000 addresse (Common address IsIt; OSD orques Group address IsIt) Original Size Comstant Size A of TP or FT Dore TSU Color Stant											
Operating System Supported Windows Server 2003, Windows Server 2008, Windows Server 2012, Windows Server 2013, Windows Server 2014, Windo											
Image State Image State Interface USB 2.0 High Speedx1; Ethernet 10BASE-T/100BASE-T; USB Host Interface (USB Host)x4; NFC TAGx1 USB Memory Printing Format Image State Mobile Printing Image State Obsile Printing Image State Scan Functions (Standard) Scan Functions (Standard) Color Selection Auto Color (Color/Gray); Auto Color (Color/B&W); Full Color; Grayscale; Black & White Resolution Image Type Mode Scan Functions (Standard) File Format Image Type Mode Scan to SMB; Scan to E-mail; Scan to FTP or FIP over SSL; Scan to USB; TWAIN Scan; WSD Scan Tarasmission Type Scan to SMB; Scan to E-mail; Scan to FTP or FIP over SSL; Scan to USB; TWAIN Scan; WSD Scan Original Size Image Type Mode Scan to SMB; Scan to E-mail; Scan to FTP or FIP over SSL; Scan to USB; TWAIN Scan; WSD Scan Original Size Image Type Mode Scan to SMB; Scan to E-mail; Scan to FTP or FIP over SSL; Scan to USB; TWAIN Scan; WSD Scan Original Size Image Type Mode Scan to SMB; Scan to E-mail; Scan to FTP or FIP over SSL; Scan to USB; TWAIN Scan; WSD Scan Tarasmission Speed Image Type Mode Scan to SMB; Scan to E-mail; Scan to FTP or FIP over SSL; Scan to USB; TWAIN Scan; WSD Scan Oringinal Size				TCP/IP, NetBEUI, FTP, Port 9100, LPR, IPP, IPP over SSL/TLS, WSD Print, Apple Bonjour							
Interface USB 2.0 High Speedx1; Ethernet 10BASE-TX/1000BASE-TX, USB Host Interface (USB Host)x4; NFC TAGx1 USB Memory Printing Format IFF, JPEG, PDF, XPS Mobile Printing Call Control (Control (Contro (Contro (Control (Control (Contro (Control (Control (Control (Operating System Supported			Windows XP, Windows Vista, Windows 7, Windows 8, Windows 8.1;							
USB Memory Printing Format TIFF, JPEG, PDF, XPS Mobile Printing AirPrint, Mopria, KYOCERA Mobile Print Scan Functions (Standard) Color Selection Auto Color (Color/Gray); Auto Color (Color/B&W); Full Color; Grayscale; Black & White Resolution Goodpi, 400dpi, 300dpi, 200400dpi, 200x400dpi, STIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG Compression/Huffs-compressind-Huffs-compression/Huffs-compression/Huffs-compression/	Interface										
Mobile Printing AirPrint, Mopria, KYOCERA Mobile Print Color Selection Scan Functions (Standard) Color Selection Auto Color (Color/Gray): Auto Color (Color/B&W); Full Color; Grayscale; Black & White Resolution Goodpi, a00dpi, 300dpi, 200di, 200x100dpi File Format TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG compression/High-compression PDF), PDF/A, Encrypted PDF, Searchable PDF (Optional) Image Type Mode Text, Photo, Text + Pho											
Color SelectionAuto Color (Color/Gray); Auto Color (Color/B&W); Full Color; Grayscale; Black & WhiteResolution600dpi, 400dpi, 200dpi, 200dpi, 200dpi, 200x100dpiFile FormatTIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG compression PDF), PDF/A, Encrypted PDF, Searchable PDF (Optional)Image Type ModeText, Photo, Text + Photo, Text (Fine Line)Transmission TypeScan to SMB; Scan to E-mail ; Scan to TP or FIP or er SSL; Scan to USB; TWAIN Scan; WSD ScanAddress Storage2,000 addresses (Common address lish), 500 groups (Group address lish)Original SizeMax. A3 (Legal) – Min. A6 (statement), Banner: 1,600 (A4)Coding MethodMMR, MR, MH, JBIGTransmission Speed33.6 kpbsMemory12MBDUAL FAX / Network FAXConsumables & OptionsDocument ProcessorDP-7100: 140 sheets Reversing Type; DP-7110: 270 sheets One-path duplex scanning Type; DP-7130: 270 sheets One-path duplex scanning Type; DP-7130: 200 sheets large capacity side deck (A4/Letter)FinisherDF-7100: 500 sheets Inner Finisher; AK-7110: Attchment KI; DF-7120: 1,000 sheets Finisher; DF-7110: 4,000 sheets Finisher with 100PH-700: 500 sheets Inner Finisher; AK-7110: Attchment KI; DF-7120: 1,700 Sheets One-path duplex scanning Type; BF-7100: 500 sheets Inner Finisher; AK-7110: 1,7100 sheets finisher; DF-7110: 1,700 sheets finisher; DF-7110: 4,000 sheets Finisher with 100PH-7100: 500 sheets Inner Finisher; AK-7110: Attchment KI; DF-7120: 1,700 sheets Finisher; DF-7110: 500 sheets finisher with 100PH-7100: 500 sheets Inner Finisher; AK-7110: Attchment KI; DF-7120: 5700, Sheets Single for DF-7110; SH-14: Staple for DF-7110, DF-7120, DF-7120; SH-7100: 500 sheets Finisher; DF-7120, SH-7120; S											
Color SelectionAuto Color (Color/Gray): Auto Color (Color/B&W): Full Color; Grayscale; Black & WhiteResolution600dpi, 400dpi, 200dpi, 200dpi, 200dpi, 200x100dpiImage Type ModeTIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG compression PDF), PDF/A, Encrypted PDF, Searchable PDF (Optional)Image Type ModeText, Photo, Text + Photo, Text (Fine Line)Transmission TypeScan to SMB; Scan to E-mail ; Scan to TP or FIP or erSS1; Scan to USB; TWAIN Scan; WSD ScanAddress Storage2000 addresses (Common address list), S00 groups (Group address list)Original SizeFax Functions (Optional)Original SizeMax. A3 (Legal) – Min. A6 (statement), Banner: 1,600 (A4)Coding MethodMMR, MR, MH, JBIGTransmission Speed33.6 kpbsMemory12MBDUAL FAX / Network FAXOP-7100: 140 sheets Reversing Type; PP-7110: 270 sheets One-path duplex scanning Type; DP-7130: 270 sheets One-path duplex scanning Type; DP-7130: 270 sheets One-path duplex scanning Type; DP-7130: 270 sheets One-path duplex scanning Type; PF-7100: 500 sheets Inner Finisher; AK-710: Attachment KI; DF-7120: 1,500 sheets x2 (A4/Letter); PF-7120: 3,000 sheets Inner Finisher; AK-710: Attachment KI; DF-7120: 1,500 sheets x2 (A4/Letter); PF-7120: 500 sheets Inner Finisher; AK-710: Attachment KI; DF-7120: 1,500 sheets Scane DF-7140, 0F-7140, DF-7140, DF											
Resolution6000dpi, 400dpi, 200dpi, 200x400dpi, 200x100dpiFile FormatTIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPG compression/High-compression PDF), PDF/A, Encryted PDF, Searchable PDF (Optional)Image Type ModeCompression/High-compression PDF), PDF/A, Encryted PDF, Searchable PDF (Optional)Transmission TypeCompression Strep PDF (MMR/JPG compression PDF), PDF/A, Encryted PDF, Searchable PDF (Optional)Address Storage2,000 address (Common address list), 500 groups (Group address list)Original SizeFax Functions (Optional)Original SizeCoding MethodCoding MethodMMR, MR, MR, MH, JBGTransmission SpeedConsumables & OptionsMemory200X 120MBDUAL FAX / Network FAXCompression Type; DP-7110: 270 sheets One-path duplex scanning Type; DP-7100: 140 sheets Reversing Type; DP-7110: 270 sheets XIA4/Letter); DP-7100: 200 sheets X2; PF-7110: 1,500 sheets X2 (A4/Letter)Paper FeederDF-7100: 500 sheets N2; PF-7110: 1,000 sheets X; PF-7110: 1,000 sheets X; IA4/Letter); PF-7102: 3,000 sheets Singe capacity side deck (A4/Letter)FinisherDF-7100: 500 sheets N2; PF-7110: 1,000 sheets X; IA4/Letter); PF-7102: 500 sheets X; PF-7110: 1,000 sheets X; IA4/Letter); PF-7102: 500 sheet	Color Selection										
Image Type ModeText, Photo, Text + Photo, Text (Fine Line)Transmission TypeScan to SMB; Scan to E-mail; Scan to FTP over SSL; Scan to USB; TWAIN Scan; WSD ScanAddress Storage2,000 addresses (Common address list), 500 groups (Group address list)Original SizeFax Functions (Optional)Original SizeMax. A3 (Legal) – Min. A6 (statement), Banner: 1,600 (A4)Coding MethodMMR, MR, MH, JBIGTransmission Speed33.6 kpbsMemory0DUAL FAX / Network FAXConsumables & OptionsDocument ProcessorConsumables & OptionsPaper FeederPP-7100: 140 sheets Reversing Type; DP-7110: 270 sheets One-path duplex scanning Type; DP-7130: 270 sheets One-path duplex scanning Type; DP-7130: 270 sheets Consumables ac (A4/Letter); PF-7120: 3,000 sheets large capacity side deck (A4/Letter)FinisherDF-7100: 500 sheets Inner Finisher; AK-7110: Attachment Kit; DF-7120: 1,000 sheets Finisher; DF-7130: 4,000 sheets Fini				600dpi, 400dpi, 300dpi, 200x400dpi, 200x100dpi							
Transmission TypeScan to SMB; Scan to E-mail ; Scan to FTP or FTP over SSL; Scan to USB; TWAIN Scan; WSD ScanAddress Storage2,000 addresses (Common address list), 500 groups (Group address list)Original SizeFax Functions (Optional)Original SizeMMR, MR, MH, JBIGCoding MethodMMR, MR, MH, JBIGMemory12MBDUAL FAX / Network FAXConsumables & OptionsDocument ProcessorConsumables & OptionsDerestorConsumables & OptionsPaper FeederPF-7100: 140 sheets Reversing Type; DP-7110: 270 sheets One-path duplex scanning Type; DP-7130: 270 sheets One-path duplex scanning Type; DP-7130: 270 sheets None-path Duplex Scanning Type with double paper feed detectorPaper FeederDF-7100: 500 sheets none-path Duplex Scanning Type; ND-7110: 1,500 sheets x2; PF-7110: 1,500 sheets x2; PF-7110: 1,500 sheets x2; ND-7110; ND-7120; ND-71	File Format										
Address Storage 2,000 addresses (Common address list), 500 groups (Group address list) Original Size Fax Functions (Optional) Original Size Max. A3 (Legal) – Min. A6 (statement), Banner: 1,600 (A4) Coding Method MMR, MR, MH, JBIG Transmission Speed 33.6 kpbs Memory 12MB DUAL FAX / Network FAX Yes DOcument Processor Consumables & Options Document Processor DP-7100: 140 sheets Reversing Type; DP-7110: 270 sheets One-path duplex scanning Type; DP-7130: 270 sheets One-path Duplex Scanning Type with double paper feed detector Paper Feeder PF-7100: 500 sheets x2; PF-7110: 1,500 sheets x2 (A4/Letter); PF-7120: 3,000 sheets sinsker; DF-7110: 4,000 sheets Finisher; DF-7130: 4,000 sheets Finisher											
Fax SystemDerived Solution (Section 1)Fax SystemDerived Solution (Section 1)Fax SystemConsument FAX KII(A)Fax SystemConsument FAX KII(B)Fax SystemConsument FIX KII(B)Fax SystemConsument FIX KII(B)Fax SystemConsument FIX KII(B)Fax SystemConsument KiI) CAA KII(B)Fax SystemConsument KiI) CAA KII(B)Fax SystemConsument KiI) CAA CAA CAA CAA CAA CAA CAA CAA CAA CA											
Original Size Max. A3 (Legal) – Min. A6 (statement), Banner: 1,600 (A4) Coding Method MMR, MR, MH, JBIG Transmission Speed 33.6 kpbs Memory 12MB DUAL FAX / Network FAX Consumables & Options DOCument Processor Consumables & Options Document Processor DP-7100: 140 sheets Reversing Type; DP-7110: 270 sheets One-path duplex scanning Type; or perfed detector Paper Feeder PF-7100: 500 sheets x2; PF-7110: 1,500 sheets x2 (A4/Letter); PF-7120: 3,000 sheets Insiter; DF-7130: 4,000 sheets Finisher; DF-7130: 4,	Address Storage										
Coding MethodMMR, MR, MH, JBIGTransmission Speed33.6 kpbsMemory33.6 kpbsMemory12MBDUAL FAX / Network FAX6Consumables & OptionsDocument ProcessorConsumables & OptionsPaper FeederFF-7100: 140 sheets Reversing Type; DP-7110: 270 sheets One-path duplex scanning Type; DP-7130: 270 sheets One-path duplex scanning Type; PF-7120: 3000 sheets x2; PF-7110: 1,500 sheets x2 (A4/Letter); PF-7120: 3,000 sheets Sinisher; DF-7130: 4,000 sheets Finisher; OF-7130: 4,000 sheets Finisher; DF-7130: 4,											
Transmission Speed 33.6 kpbs Memory 12MB DUAL FAX / Network FAX 6 DUAL FAX / Network FAX 6 Document Processor Consumables & Options Document Processor DP-7100: 140 sheets Reversing Type; DP-7110: 270 sheets One-path duplex scanning Type; DP-7130: 270 sheets One-path Duplex Scanning Type with double paper feed detector Paper Feeder PF-7100: 500 sheets x2; PF-7110: 1,500 sheets x2 (A4/Letter); PF-7120: 3,000 sheets Finisher; DF-7130: 4,000 sheets Finisher; DF-7130; H-7130; H-7130	-										
Memory 12MB DUAL FAX / Network FAX Good Consumables & Options Consumables & Options Consumables & Options Document Processor DP-7100: 140 sheets Reversing Type; DP-7110: 270 sheets One-path duplex scanning Type; with double paper feed detector Paper Feeder DF-7100: 500 sheets x2; PF-7110: 1,500 sheets x2 (A4/Letter); PF-7120: 3,000 sheets large capacity side deck (A4/Letter); PF-7120: 3,000 sheets large capacity side deck (A4/Letter); PF-7120: 3,000 sheets linker; DF-7130: 4,000 sheets Finisher; DF-7130: 4,000 sheets F											
DUAL FAX / Network FAX Yes DOLAL FAX / Network FAX Consumables & Options Document Processor DP-7100: 140 sheets Reversing Type; DP-7110: 270 sheets One-path duplex scanning Type; DP-7130: 270 sheets One-path Duplex Scanning Type with double paper feed detector Paper Feeder PF-7100: 500 sheets neversing Type; DP-7110: 1,500 sheets x2 (A4/Letter); PF-7120: 3,000 sheets large capacity side deck (A4/Letter) Finisher DF-7100: 500 sheets Inner Finisher; AK-7110: Attachment Kit; DF-7120: 1,000 sheets Finisher; DF-7110: 4,000 sheets Finisher; DF-7130: 4,000 sheets Innisher; DF-7130; JS-7100: 100 sheets Inner J BF-730: Booklet Folder for DF-7110/DF-7130; PH-7120: Punch Unit for DF-7100; MT-730(B): 7 Bin Mailbox Sorter for DF-7110/DF-7130; JS-7100: 100 sheets Inner J BF-730: Booklet Folder for DF-7110; BF-9100: Booklet Folder for DF-7130; SH-12: Staple for DF-7110; SH-14: Staple for Fax System Fax System Internet FAX Internet FAX Kit(A) Card Authentication Card Authentication Kit(B) AC	· · · · · · · · · · · · · · · · · · ·										
Consumables & Options Document Processor DP-7100: 140 sheets Reversing Type; DP-7110: 270 sheets One-path duplex scanning Type; DP-7130: 270 sheets One-path Duplex Scanning Type with double paper feed detector Paper Feeder PF-7100: 500 sheets x2; PF-7110: 1,500 sheets x2 (A4/Letter); PF-7120: 3,000 sheets large capacity side deck (A4/Letter) Finisher DF-7100: 500 sheets Inner Finisher; AK-7110: Attachment Kit; DF-7120: 1,000 sheets Finisher; DF-7130: 4,000 sheets Finisher; DF-7130: 4,000 sheets Finisher insher; DF-7130: 4,000 sheets Finisher; DF-7130; BF-730: 9H-7120; PH-7120; Punch Unit for DF-7100; MT-7308[J: 7 Bin Mailbox Sorter for DF-7130; JS-7100: 100 sheets Inner J BF-730: Booklet Folder for DF-7110; BF-9100: Booklet Folder for DF-7130; SH-12: Staple for DF-7130; SH-12: Staple for DF-7110; SH-14: Staple for Fax System Fax System Internet FAX Internet FAX Kit(A) Card Authentication Card Authentication Kit(B) AC		ork FAX									
Document Processor DP-7100: 140 sheets Reversing Type; DP-7110: 270 sheets One-path duplex scanning Type; DP-7130: 270 sheets One-path Duplex Scanning Type with double paper feed detector Paper Feeder PF-7100: 500 sheets x2; PF-7110: 1,500 sheets x2 (A4/Letter); PF-7120: 3,000 sheets large capacity side deck (A4/Letter) Finisher DF-7100: 500 sheets Inner Finisher; AK-7110: Attachment Kit; DF-7120: 1,000 sheets Finisher; DF-7130: 4,000 sheets Finisher; DF-7130: 5,000 sheets Finisher; DF-7	,										
PF-7120: 3,000 sheets large capacity side deck (Å4/Letter) Finisher DF-7100: 500 sheets laner Finisher; AF-7110: 4,000 sheets Finisher; DF-7110: 4,000 sheets Finisher; DF-7130: 4	Document Processor			DP-7100: 140 sheets Reversing Type; DP-7110: 270 sheets One-path duplex scanning Type;							
PH-7C: Punch Unit for DF-7100/ DF-7120/DF-7130; PH-7120: Punch Unit for DF-7100; MT-730(B): 7 Bin Mailbox Sorter for DF-7110/ DF-7130; JS-7100: 100 sheets Inner J BF-730: Booklet Folder for DF-7100; BF-9100: Booklet Folder for DF-7100; MT-730(B)-720/DF-730; SH-12: Staple for DF-7110; SH-14: Staple for BF-730: Booklet Folder for DF-7100; BF-9100: Booklet Folder for DF-7100; MT-730(B)-720/DF-730; SH-12: Staple for DF-7110; SH-14: Staple for BF-730: Booklet Folder for DF-7100; BF-9100: Booklet Folder for DF-7100; MT-730(B)-720/DF-730; SH-12: Staple for DF-7110; SH-14: Staple for BF-730: Booklet Folder for DF-7100; BF-9100: Booklet Folder for DF-7100; MT-730(B)-720/DF-730; SH-12: Staple for DF-7110; SH-14: Staple for BF-730: Booklet Folder for DF-7100; BF-9100: Booklet Folder for DF-7100; MT-730(B)-720/DF-730; SH-12: Staple for DF-7110; SH-14: Staple for BF-730: Booklet Folder for DF-7100; BF-9100: Booklet Folder for DF-7100; MT-730(B)-720/DF-730; SH-12: Staple for DF-7110; SH-14: Staple for BF-730: Booklet Folder for DF-7100; BF-9100: Booklet Folder for DF-7100; MT-730(B)-720/DF-730; SH-12: Staple for DF-7110; SH-14: Staple for BF-730: Booklet Folder for DF-7100; BF-9100: Booklet Folder for DF-7100; MT-730(B)-720/DF-730; SH-12: Staple for DF-7100; SH-12: Staple for DF-7100; SH-740 Internet FAX FAX Gaoklet Folder for DF-7100; MT-730(B)-720/DF-730; SH-12: Staple for DF-7100; SH-740 Card Authentication Staple for DF-7100; MT-740 Staple for DF-7100; MT-740	Paper Feeder			PF-7120: 3,000 sheets large capacity side deck (A4/Letter)							
Fax System Fax System 12 Internet FAX Internet FAX Kit(A) Card Authentication Card Authentication Kit(B) AC	Finisher			DF-7100: 500 sheets Inner Finisher; AK-7110: Attachment Kit; DF-7120: 1,000 sheets Finisher; DF-7110: 4,000 sheets Finisher; DF-7130: 4,000 sheets Finisher with 100 sheets Staple PH-7C: Punch Unit for DF-7110/ DF-7120/DF-7130; PH-7120: Punch Unit for DF-7100; MT-730(B): 7 Bin Mailbox Sorter for DF-7110/ DF-7130; JS-7100: 100 sheets Inner Job Separator; BF-730: Booklet Folder for DF-7110; BF-9100: Booklet Folder for DF-7130; SH-10: Staple for DF-7100/DF-7120/BF-730; SH-12: Staple for DF-7110; SH-14: Staple for DF-7130							
Internet FAX Internet FAX Kit(A) Card Authentication Card Authentication Kit(B) AC	Fax System										
Card Authentication Card Authentication Kit(B) AC											
	Card Authentication										
	Gigabit Ethernet Board										
Wireless LAN Interface IB-35 (802.11 b/g/n/Wireless LAN/WiFi Direct)	Wireless LAN Interface			IB-35 (802.11 b/g/n/Wireless LAN/WiFi Direct)							
Embedded OCR Scan Extension Kit(A)				Scan Extension Kit(A)							
Banner Paper Feeding Guide 10 Banner Guide 10											
	Numeric Key Pad			NK-7120							
Document Tray DT-730(B) Keyboard Holder Keyboard Holder 10	Document Tray										
Resource Holder To	Reyboard Holder			keyuoalu noidei tu							

КЧОСЕRа

 KYOCERA Document Solutions Asia Limited

 13/F., Mita Centre, 552-566 Castle Peak Road, Tsuen Wan, N.T., Hong Kong

 Tel: +852-2496-5678
 Fax: +852-2610-2063

 www.kyoceradocumentsolutions.asia

*KYOCERA does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.



KYOCERA Business Partner