

> PRINT > COPY > SCAN > FAX

ECOSYS M6630cidn (4-in-1) ECOSYS M6635cidn (4-in-1)

COLOR MULTIFUNCTION PRODUCT FOR A4 FORMAT

# VIBRANT COLOR OUTPUT



- Speedy A4 copy/print speed up to 35/35 cpm Mono/Color\* with 1,200 x 1,200dpi printing
- Fast scanning up to 62/46 ipm Mono/Color.
- Support A6 duplex scan from Document Processor.
- Fit for high print volume with paper capacity up to 1,850 sheets\*\*.
- User-friendly 7-inch large color touch screen panel.
- Standard 1GB RAM to meet heavy-duty tasks without additional memory.
- Support Google Cloud Print, Apple AirPrint and Mopria certified.
- Standard 100 sheets capacity with high productive One-path duplex scanning Document Feeder\*.

\* For ECOSYS M6635cidn only \*\* Main unit + Multi-Purpose Tray + Optional PF-5100 x 3



# **Born to be Extraordinary**


# **KYOCERA Document Solutions is Extraordinary for**

- Broad Range of Multifunction Devices and Printers
- Optimized Total Cost of Ownership (TCO)
- Reliable with Long Life Drum and Parts
- New and Advanced Technology

KYOCERA Document Solutions strives to be a company that contributes to the society and demonstrates a "Customer First" principle by providing customers with maximum value to increase their satisfaction. By adhering to the mission of producing document management devices that take balance between "Economy" and "Ecology", KYOCERA Document Solutions succeeds to develop document management devices with advanced technologies which help customers to optimize office productivity and efficiency at a low total cost of ownership and, at the same time, improving environmental performance.

### **Robust Features**

Designed for busy offices or centralized printing departments, it prints documents quickly and reliably. Thanks to the HyPAS solution platform and impressive range of paper-handling options, this device can be tailored to fit precise needs.



# **Amazing Quality**

#### **COPY/PRINT**

- Convenient Multi-Purpose Tray First Mode: Allow printing via Multi-Purpose Tray whenever a paper is loaded there.
- Direct print from USB memory.
- Superior image quality 1,200 x 1,200 dpi print resolution.



#### SCAN

Support mixed sizes A4/Letter and Legal original in Copy/Scan. Skip Blank Page Function: Automatically skip blank pages in copy and scan.



- Fast scanning up to 62/46\* ipm in A4 Mono/Color.
- Store scanned data easily by 'Scan to FTP', 'Scan to SMB', 'Scan to Email' and "Scan to USB"



#### FAX

- A destination and other transmission settings can be registered as a favor to prevent sending to the wrong recipient.
- Capable of sending and receiving fax via PC with network fax function.
  Fax broadcast up to 100 different destinations.

# High Standard of Security

· Authentication management among departments via IC Card.



• Standard built-in Kensington Security Slot for burglar-proof of the device.

· Save cost by using less paper. Print: Allow 25-in-1 Copy: Allow 4-in-1

USB



· 2-sided copy/print as standard



• Equip with special features, e.g. 'Job Finish Notice' and 'Prevent Bleed-Through' Functions, etc.



• Banner Send: Scan a banner/3 or 4 panels folding with ease (One-sided only)





\*For ECOSYS M6635cidn only

- Sophisticated network security (SSL, IPsec) as a standard to prevent improper access
- Private Print enables secure print jobs with preset password request at the device.



# **Protecting the Earth**

- Low energy consumption
- Usage of white LED illumination for lower light emissions and power consumption. • Free of Hazardous material
- Fulfilled the requirements of RoHS (Restriction of Hazardous Substances) & usage of Lead-Free Parts.
- Reduce wastage by Long Life Consumables and Drums.
- Reduce noise by Quiet Mode.

# Powerful Customization

By combining the innovative Business Applications, these devices can manage documents in an effective approach.

- **HyPAS**<sup>°</sup> Enhances specific document imaging needs.
- **KYOCERA MyPanel** Remote control designated KYOCERA printing devices by smartphone or tablet.
- AirPrint Print documents, photographs, images, etc. directly from iOS devices/Mac.
- KYOCERA Mobile Print Conveniently print files, web pages and images using smartphone or tablet.
- KYOCERA Cloud Connect (Optional) Print and scan directly to the cloud services easily.
- **KYOCERA Fleet Services (Optional)** Maintain entire fleet from the cloud.
- **KYOCERA Net Manager (Optional)** Control sensitive documents and reduce printing costs.
- **KYOCERA Net Device Manager** Optimize, track and manage network devices from local and remote locations.



- Support WiFi Direct:
- o Require IB-36 Wireless LAN (Optional) o Makes print via AirPrint/Google Cloud Print/Mopria/KYOCERA Mobile Print/KYOCERA MyPanel much easier.

Index         ECOSYS M6630cidn         ECOSYS M6630cidn         ECOSYS M6630cidn           Marin Function         Similar Marine See (An (Moore)Cade)         Similar Marine See (Similar Marine)         Similar Marine)         Similar Marine)         Similar Marine)         Similar Marine)         Similar Marine)         Similar Marin Marine) <td< th=""><th></th><th></th><th colspan="2">Main Specifications</th></td<>			Main Specifications		
Main Agency          Graph Metry Ser. In           Chain Agency         ABD Agency         ABD Agency           Chain Agency         ABD Agency         ABD Agency           Chain Agency         ABD Agency         ABD Agency           Marce Scale (K)         ABD Agency         ABD Agency           Agency Scale (K)         ABD Agency         ABD Agency					
Weig         Weig         Minit del mail d					
fbuildImage: stype in the stype					
Net georg and y All y	-				
<table-container>Simma product of the second second</table-container>					
Memory Two         Salestard Jack Salestard         Description         Description           New Nat Two         Salestard         Salestard         Description         Description           New Nat Two         Salestard         Salestard         Description         Description           New Nat Two         Salestard         Salestard         Salestard         Salestard           New Nat Two         Salestard         Salestard         Salestard         Salestard           New Nat Two         Salestard         Salestard         Salestard         Salestard           Operational Salestard         Salestard         Salestard         Salestard         Salestard           Operational Salestard			· · ·		
Week Quay?         Backed Based         0.938 etc.         0.93			· · ·		
Index of the second			26 seconds	25 seconds	
Image of the second	Bapor Capacity	Standard	250 sheets (Cassette	) + 100 sheets (MPT)	
per of the set of the se	Paper Capacity	Maximum	1,850 sheets (Main Unit + 500 sheets PF-5100 x3 + MPT)		
import with a stand of the s	Paper Size	Cassette			
Network Barbon Barbon Barbon 		Option			
Net with an and the second of the second o		MPT			
Image: bit is the stand of the st	Paper Weight				
Deple from the start of the start					
Oxport Diversity Genome Transmission Construction   December Pressure Standard Mar. 75 sheets RAD Trap Standard Mar. 50 sheets. One geht duples can mage to a standard Mar. 75 sheets RAD Trap   Demension Vol. 2011 Mar. 2014 Standard Mar. 2014 sheets. Standard Mar. 75 sheets RAD Trap   Margin Mar. 2011 Standard Mar. 75 sheets RAD Trap Standard Mar. 2014 sheets. Standard M		MPT			
Control Protect/Control         Standard Mar. 20 degrad           Dimensional Quez, 20 degrad         Standard Quez, 20 degrad           Querge Man Usery         Querge Man Usery         Querge Man Usery           Querge Man Usery         Querge Man Usery         Querge Man Usery           None Standard Quez, 20 degrad         Querge Man Usery         Standard Quez, 20 degrad           None Standard Quez, 20 degrad         Querge Man Usery         Standard Quez, 20 degrad           None Standard Quez, 20 degrad         Standard Quez, 20 degrad         Standard Quez, 20 degrad           None Standard Quez, 20 degrad         Quez, 20 degrad         Standard Quez, 20 degrad           None Standard Quez, 20 degrad         Quez, 20 degrad         Standard Quez, 20 degrad           None Standard Quez, 20 degrad         Quez, 20 degrad         Standard Quez, 20 degrad           None Standard Quez, 20 degrad         Quez, 20 degrad         Standard Quez, 20 degrad           None Standard Quez, 20 degrad         Quez, 20 degrad         Standard Quez, 20 degrad           None Standard Quez, 20 degrad         Quez, 20 degrad         Standard Quez, 20 degrad           None Standard Quez, 20 degrad         Quez, 20 degrad         Standard Quez, 20 degrad           None Standard Quez, 20 degrad         Quez, 20 degrad         Standard Quez, 20 degrad           None Stand					
Decinencie VV-2 V PC         Standard Max, 7: dest: NAD Proj         Standard May: To Standard May: 7: dest: NAD Proj           Medige Monit Vol          Highers SSA May         Highers SSA May           Medige Monit Vol         Standard May         Markers SSA May         Highers SSA May           Media Vol         Standard May         Markers SSA May         National SSA May           Media Vol         Standard May         National SSA May         National SSA May           Media Vol         Standard May         National SSA May         National SSA May           Monitaria Vol         Standard May         National N					
Densitie (W a Let III) (Mar Dut)         0.400mm s 250 mm s 25.8 mm         0.400mm s 250 mm         0.400mm s 250 mm           Prevent my object (Mar Dut )         0.400 mm s 250 mm         0.400 mm         0.500 mm           Prevent my object (Mar Dut )         0.400 mm         0.400 mm         0.400 mm           Ordination (Mar Dut )         0.400 mm         0.400 mm         0.400 mm           Ordination (Mar Dut )         0.400 mm         0.400 mm         0.400 mm           Ordination (Mar Dut )         0.400 mm         0.400 mm         0.400 mm           Ordination (Mar Dut )         0.400 mm         0.400 mm         0.400 mm           Ordination (Mar Dut )         0.400 mm         0.400 mm         0.400 mm           Ordination (Mar Dut )         0.400 mm         0.400 mm         0.400 mm           Ordination (Mar Dut )         0.400 mm         0.400 mm         0.400 mm           Ordination (Mar Dut )         0.400 mm         0.400 mm         0.400 mm           Ordination (Mar Dut )         0.400 mm         0.400 mm         0.400 mm         0.400 mm           Ordination (Mar Dut )         0.400 mm         <					
weight four the first set of the set of th					
Near ControlControlSecondNote NoteReserve <td></td> <td>, (</td> <td></td> <td></td>		, (			
Search y Mode         Search y Mode         98m0 49m0           Consignation         Dergy Save         98m0 49m0           Noise (SO7797)         Copy First Mode         35m0 49m0           Search y Mode         35m0 49m0         35m0 49m0           Copy Save Ay Mode         35m0 49m0         35m0 49m0           Copy Save Ay Mode         35m0 49m0         35m0 49m0           Copy Save Ay Mode         75m0 40m0         35m0 49m0           Copy Save Ay Mode         75m0 40m0         35m0 40m0           Copy Save Ay Mode         75m0 40m0         35m0 40m0           Copy Save Ay Mode         75m0 40m0         75m0 40m0           Copy Save Ay Mode         75m0 40m0 40m0 40m0 40m0 40m0 40m0 40m0 4	Power	Copy/Print Mode			
interface         Series year         Series year           Good print Mode         Good print Mode         Jobel A)           Good print Mode         Jobel A)         Jobel A)           Good print Mode         Good print Mode         Jobel A)           Good print Mode         Good print Mode         Jobel A)           Good print Mode         Good print Mode         Jobel A)           Good print Mode         Jobel A)         Jobel A)           Matual         Good print Mode         Jobel A)           Matual         Good print A)         Jobel A)           Matual         Good print A)         Jobel A)         Jobel A)           Resolution         Matual         Good print A)         Jobel A)           Resolution         Good print A)         Good print A)         Jobel A)           Resolution         Good print A)         Good print A)         Jobel A)           Soport Data         Good print A)         Good print A)         Jobel A)           Soport Data         Good print A)         Good print A)         Good print A)           Soport Data         Good print A)         Good print A)         Good print A)           Soport Data         Good print A)         Good print A)         Good print A)	Consumption				
Sind y         Sind y         Sind y           Cogy Sir / Jecuity         The unit is mundactured according to Sold guality standard and SO 14001 environment standard. Refer compatibility           Cogy Sir / Jecuity         Sind y         Sind	configuration)				
Copy Sin / Resolution         This unit is manufactured according to 50 900 quality standard and 50 1000 environmental standard. Relis compatibility           Copy Sin / Resolution         Copy Sin / Resolution         Copy Sin / Resolution           Copy Sin / Resolution         Copy Sin / Resolution         Zopy Sin / Resolution           Copy Sin / Resolution         Copy Sin / Resolution         Zopy Sin / Resolution           Con Ratio         Manual         Zopy Sin / Resolution           Multiple Copy         Pre-defined         Tops           Resolution         Resolution         Sop Sin / Sop					
Copy Size / #Sol / Sol /					
Grop Serv Mesculation         Maile         7.5 ser / 3.9 ar.         7.5 ser / 3.9 ar.           RS Grop Time (Mone) Cool) - Gros Cool (Serve) - Cool (Serve)         7.5 ser / 3.5	Copy Size / Resolution				
finds convertiew         7.5 sec / 8.0 sec         7.5 sec / 8.5 sec           com Rate         Manual         C35 sec / 8.5 sec           find convertiew         7.5 sec / 8.5 sec           Windipe Convertiew         Find Functiower Sec           Resolutiow         Find Functiower Sec           Resolutiow         Find Functiower Sec           Resolutiow         Find Functiower Sec           Resolutiow         Find Functiower Sec           Supported Processon         Supported Processon					
Manual         0         2554-400(15 kg-)           Mulbip Coy         0         7852           Mulbip Coy         0         0           Resolution         0         0         0           Resolution         0         0.0000 kg) 6000 kg/m000x congetble 2000 kg/m1.2000 x1.200 kg/m1.2000 x1.2000 x1.2000 xg/m1.2000 x1.2000 xg/m1.2000 x1.2000 xg/m1.2000 x1.2000 xg/m1.2000 x1.2000 xg/m1.2000 x1.2000 xg/m1.200000 xg/m1.200000 xg/m1.20000 xg/m1.20000 xg/m1.200000 xg/m1.200			Max. A4 (Legal) - Min. A6R / 600 x 600 dpi		
Zoom Rafe         Predefined         Print Functions           Resolution         Print Functions (Standard)           Resolution         660 × 600 gip 9600 gip 1000 gip	First Copy Time (Mo				
Multiple Coy         Internet intere internet internet internet internet internet inter	Zoom Ratio				
Print Functions (Standard)           Resolution         FOR SOURCE (FC VLA, PCES) (PostCript 3 Compatibly, XSP, DD Diret Print Ver. 1.7           First Print Out Time         E.0 PreSCriet, PCI (FC VLA, PCES), POstCript 3 Compatibly, XSP, DD Diret Print Ver. 1.7           First Print Out Time         E.0 PresCriet, PCI (FC VLA, PCES), POstCript 3 Compatibly, XSP, DD Diret, Print Ver. 1.7           First Print Out Time         E.0 PresCriet, PCI (FC VLA, PCES), POSTCP 2012, Windows Server 2012, R2, Windows 7, Windows 10; Linux           Usa Memory Printing         Standard         Standard           USB Memory Printing Format         E.0 POS 7, SS         Standard           Wolde Print, Bornat         TIF; PEG, XPS, OpenXPS, PDF (MMR/PEC compression/PB), Fort, Ptor 1, 207, AS, MORE (Ple (plot N), Searchable PDF (pot 10)           Usa Standard         Test, PPEG, XPS, OpenXPS, PDF (MMR/PEC compression/PB), Fort, Ptor 1, 207, AS, MORE (Ple (plot N), Searchable PDF (pot 10)           Usa Standard         Test, PTEG, XPS, OpenXPS, PDF (MMR/PEC compression/PB), Fort, Ptor 1, 207, AS, MORE (Ple (plot N), Searchable PDF (pot 10)           Usa Starage         Search DS, Se	Multiple Conu	Pre-defined			
secolon         600 dpi: 900 qpi:	waitple copy				
PDL         PPESCRIEF, PCLG (PCLX, PCL SL, PCD 2, PCD					
First Print Out Time         6.0 sec/ 7.5 sec         6.0 sec/ 7.5 sec           Supported Protocol         TCV/P, NEESUL, FEP, Port 9100, LPR, IPP. ore SS/TLS, WSD Print, Apple Bonjour           Operating System Supported         Windows Server 2008, Windows Server 2008 R2, Windows Server 2012 R2, Win					
Supported Protocol         CTC/IP, NetBLU, FTP, Der 1900, PP, UP Por ers SL/TLS, WSD Print, Apple Bonjour           Operating System Supported         Windows Server 2008, R2, Windows Server 2012, R2, Windows Server 2012, R2, Windows 7, Windows 10; Inner Kit (Page Viniting Format)           USB Memory Printing General Printing         USB 2.0 High Speedx1; Ethernet 10855-T/10008A5-T, USB Host Interface (USB Host)x2           USB Memory Printing Format         Standard           USB Memory Printing Format         Standard           Color Selection         Standard           Mobile Printing         Standard           Color Selection         Color Grayscalle; Blark & Write Sean Functions (Standard)           Color Selection         Color Grayscalle; Blark & Write Sean Functions (Standard)           Terres Mode         TEFF, IPEG, NDF, NDF (MMIK/IPEG compression/High-compression/Yoph.compres					
Operating System Supported         Windows Server 2008, R2, Mindows Server 2012, RV, Modows Server 2012, R2, Windows Server 2010, R2, Windo				· ·	
Uper Address         Linx           Thereface         0 <td colspan="2"></td> <td></td> <td></td>					
USB Memory Printing     Standard       USB Memory Printing Format     TIFF, JPEG, PDF, XPS       email Printing     Standard       Mobile Print, Morja, XCOERA Mobile Print, Google Cloud Print       Scan Functions (Standard)       Color Selection     AtPPrint, Morja, XCOERA Mobile Print, Google Cloud Print       Bread Mobile Printing     Scan Functions (Standard)       Color Selection     ACS; Full Color, Grayscale; Black & White       Resolution     E0040pi, 2004, 2			Linux		
USB Memory Printing Format         THF, IPEG, PDF, XPS           e-mail Printing         Standard           Mobile Printing         AirPrint, Mopria, KYOCERA Mobile Print, Google Cloud Print           Color Selection         AirPrint, Mopria, KYOCERA Mobile Print, Google Cloud Print           Color Selection         ACS; Full Color, Groyscale: Black & White           Resolution         600dpl, 400dpl, 300dpl, 200dpl, 200dpl, 200dpl           Image Type Mode         TTF, JPEG, XPS, OpenXPS, PDF (MMR/JPEG compression PTF), Encrypted PDF, PDF/A-1, PDF/A-2, MS Office file (option), Searchable PDF (option)           Image Type Mode         Text, Photo, Text + Photo, Photo + Text + Photo, Text + Photo, Text + Photo, Text + Photo,					
email Printing         Standard           Mobile Printing         ChirPrint, Mopria, KYOCERA Mobile Print, Gogle Cloud Print           Scan Functions (Standard)         Scan functions (Standard)           Color Selection         Scan Functions (Standard)           Color Selection         Color Selection (Standard)           Resolution         Officity (Standard)           Tiff, JPEG, XPS, OpenXPS, PDF (MMR/JPEG compression/High-compression PDF), Encrypted PDF, PDF/A-1, PDF/A-2, MS Office file (option), Searchable PDF (option Image Type Mode         Total (Standard)           Transmission Type         Scan to SMS: Scan to E-mail ; Scan to LVBS, TWAIN Scan, WSD Scan, WIA           Address Storage         200 addresses (Common address Ist), S0 groups (Group address Ist)           Original Stee         Max. At (Legal) - Min. A6           Coding Method         MMR, MR, MH, JIBG           Transmission Speed         3.6 kbps           Memory         MMR         Consumables & Options           Network RAX         Consumables         Options           Transmission Speed         Standard (Stond pages) TK-5275K: RBack (8.000 pages) TK-5275K: RBack (8.000 pages) TK-5275K: RBack (8.000 pages) TK-5285K: RBack (1.000 pages)         TK-5285K: RBack (13.000 pages) TK-5285K: RBack (10.000 pages)           Consumables         Options         TK-5285K: RBack (13.000 pages) Cyan/MagentA/Pellov 2.500 pages         RCS128 kbin RBack (Standard	, ,				
Mobile Printing         AirPrint, Mopria, KYOCERA Mobile Print, Google Cloud Print           Color Selection         Cash Functions (Standard)           Color Selection         Color Selection           Resolution         Edited according and the selection of					
Scan Functions (Standard)           Color Selection         ACC           Resolution         Color, Struit Color, Grayscale; Black & White           Resolution         TifF, IPEG, XPS, OpenXPS, DPE (MMR/IPEG compression/PE), Encrytted PDF, PDF/A-L, PDF/A-Z, MS Office file (option), Searchable PDF (option)           Image Type Mode         Text, Photo, Text, Photo, Light Text/File Line           Transmission Type         Scan to SMB; Scan to E-mail ; Scan to TEP or FTP over SSL, Scan to USB, TWAIN Scan; WSD Scan, WIA           Address Storage         Common address [IG: Sparus Group address list)           Original Size         Max. A4 (Legal) - Min. A6           Coding Method         Max. A4 (Legal) - Min. A6           Construct Biol         Max. A4 (Legal) - Min. A6           Conding Method         Max. A4 (Legal) - Min. A6           One Touch Dial         Max. A4 (Legal) - Min. A6           One Touch Dial         Consumables & Options           The S275K : Black (8,000 pages)         TK-5285K : Black (13,000 pages)           TK-5275K : Black (8,000 pages)         TK-5285K : Black (13,000 pages)           TK-5275K : Black (3,000 pages)         TK-52					
Color Selection         ACS; Full Color; Grayscale; Black & White           Resolution         600dpi, 400dpi, 300400dpi, 200400dpi           TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPEG compression/High-compression/Figh-compresin/Figh-compression/Figh-compression/Figh-compression/Figh-compr					
Isesolution         6000pi, 4000pi, 300dpi, 200xt00dpi, 200xt00dpi           File Format         TFF, JPEG, XPS, OpenXPS, PDF (MMR/JPEG compression PDF). Encrypted PDF, PDF, A:1, PDF, A:2, MS Office file (option), Searchable PDF (option)           Image Type Mode         Text, Photo, Faxt + Photo, Tight Text/File Lile           Transmission Type         Scan to SMB; Scan to E-mail; Scan to FTP or FP over SSL; Stan to USB; TWAIN Scan; WSD Scan, WIA           Address Storage         200 address list). 50 groups (Group address list)           Original Size         FAX Functions           Original Size         Max. Ad (Legal) - Min. A6           Coding Method         Max. Ad (Legal) - Min. A6           Memory         6M8           Memory         6M8           Network FAX         State Storage           Toner Kit         TK-S225K: Black (B,000 pages)           TK-S225K: Stack (G,000 pages)         TK-S225K: Stack (13,000 pages)           TK-S225K: Stack (G,000 pages)         TK-	Color Selection				
File Format       TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPEG compression/High-compression PDF), Encrypted PDF, PDF/A-1, PDF/A-2, MS Office file (option), Searchable PDF (option)         Image Type Mode       Text, Photo, Text + Photo, Light Text/Fine Line         Transmission Type       Osan to SMB; Scan to E-mail ; Scan to TSP, STP Over SSL; Scan to USB; TWAIN Scan; WSD Scan, WIA         Address Storage       Image To SMB; Scan to LFM P or FD over SSL; Scan to USB; TWAIN Scan; WSD Scan, WIA         Address Storage       Image To SMB; Scan to SMB; Scan to SMB; Scan to USB; TWAIN Scan; WSD Scan, WIA         Coding Method       Image To SMB; Scan To SMB; Sc					
Transmission Type       Scan to SMB; Scan to E-mail; Scan to FTP or FTP or FSU; Scan to USB; TWAIN Scan; WSD Scan, WIA         Address Storage       CO0 addresses (IComon address list), 50 groups (Group address list)         Original Size       Coding Method       Rax Furctions         Coding Method       Max. Ad (Icegal) - Min. A6       Coding Method         Transmission Speed       G       G         One Touch Dial       G       G         Network FAX       Consumables       Options         Toner Kit       TK-5275K : Black (8,000 pages) TK-5275X : Vani (6,000 pages) TK-5275Y : Vellow (1,000 pages) TK-5275Y : Vellow (1,000 pages) TK-5275Y : Vellow (1,000 pages) TK-5275Y : Vellow (1,000 pages) TK-5285Y : Vellow (1,000 pages) TK-5285Y : Vellow (1,000 pages)       TK-5285Y : Vellow (1,000 pages) TK-5285Y : Vellow (1,000 pages)         Capacity of Start up Toner       Mintenance Kit       MK-5144 (200,000 pages) (D*/K-3140 (200,000 pages) Cyan/Magenta/Vellow 2,500 pages       Mintenance Kit       Start Start UP Toner         Data Security       Mintenance Kit       G       G       G         Data Security       Mintenance Kit       Mint			TIFF, JPEG, XPS, OpenXPS, PDF (MMR/JPEG compression/High-compression PDF), Encrypted PDF, PDF/A-1, PDF/A-2, MS Office file (option), Searchable PDF (option)		
Address Storage       200 addresses (Common address list), 50 groups (Group address list)         Original Size       Fax Functions         Original Size          Coding Method          Transmission Speed          Memory          One Touch Dial          One Touch Dial          Network FAX          The Star K (K (000 pages)         The SZPS C: Cyan (16,000 pages)       TK-5285K : Black (13,000 pages)         TK-5275K : Black (8,000 pages)       TK-5285K : Black (13,000 pages)         TK-5275K : Black (8,000 pages)       TK-5285K : Black (13,000 pages)         TK-5275K : Black (8,000 pages)       TK-5285K : Black (13,000 pages)         TK-5275K : Black (8,000 pages)       TK-5285K : Black (11,000 pages)         TK-5275K : Black (8,000 pages)       TK-5285K : Black (11,000 pages)         TK-5275K : Black (8,000 pages)       TK-5285K : Black (11,000 pages)         TK-5275K : Black (8,000 pages)       TK-5285K : Black (11,000 pages)         TK-5275K : Black (8,000 pages)       TK-5285K : Black (11,000 pages)         TK-5275K : Black (12,000 pages)       TK-5285K : Black (10,000 pages)         TK-5275K : Black (12,000 pages)       TK-5285K : Black (10,000 pages)         TK-5275K : Black (12,000 pages)       TK-5					
Fax Functions           Original Size         Max. A4 (Legal) - Min. A6           Coding Method         MMR, MR, MH, JBG           Transmission Speed         Max. A4 (Legal) - Min. A6           Memory         GMB           One Touch Dial         100 numbers           Network FAX         Yes           Consumables & Options           Toner Kit (Page Yield in accordance with ISO/ IEC 1978)         TK-5275K : Black (8,000 pages) TK-5275C : Cyn (6,000 pages) TK-5275C : Cyn (6,000 pages) TK-5275C : Yellow (6,000 pages) TK-5275C : Yellow (6,000 pages) TK-5285C : Cyn (11,000 pages) TK-5285C : Cyn (11,000 pages) TK-5285C : Cyn (11,000 pages)           Capacity of Start up Toner         Black 3,500 pages Cyan/Magenta/Yellow 2,500 pages         Black 3,000 pages Cyan/Magenta/Yellow 2,500 pages           Maintenance Kit         MK-5144 (200,000 pages); DP:MK-3140 (200,000 pages)         MK-5159 (200,000 pages); DP:MK-5200 (200,000 pages)           Paper Feeder         Deta Security Kit(E)         Card Authentication         Card Authentication           Gigabit Ethernet Board         IB-50         Wireless LAN Interface         IB-36 (802.11 b/g/n/Wireless LAN/WiFi Direct)           Wireless VAR         IB-36 (802.11 b/g/n/Wireless LAN/WiFi Direct)         IB-36 (802.11 b/g/n/Wireless LAN/WiFi Direct)					
Original Size         Max. A4 (Legal) - Min. A6           Coding Method         MMR, NR, NH, JBIG           Transmission Speed         3.3.6 kbps           Memory         6MB           One Touch Dial         100 numbers           Network FAX         Ves           Consumable & Options           Toner Kit           (Page Yield in accordance with ISO/ (Page Yield in ac	Address Storage				
Coding Method       MMR, MR, MR, MR, MR, MR, MR, MR, MR, MR,					
Transmission Speed       33.6 kbps         Memory       6MB         One Touch Dial       100 numbers         Network FAX       Yes         Consumables & Options         Toner Kit (Page Yield in accordance with ISO/ IEC 19798)       TK-5275K : Black (8,000 pages) TK-5275K : Magenta (6,000 pages) TK-5275K : Magenta (6,000 pages) TK-5275K : Vellow (5,000 pages) TK-5275Y : Vellow (5,000 pages) TK-5285K : Yellow (11,000 pages) TK-5285K : Yellow (11,000 pages) TK-5285K : Yellow (11,000 pages) TK-5285K : Yellow (11,000 pages) TK-5285Y : Yellow (11,000 pages)         Capacity of Start up Toner       Black 3,500 pages Cyan/Magenta/Yellow 2,500 pages       Black 6,000 pages Cyan/Magenta/Yellow 5,000 pages)         Maintenance Kit       MK-5144 (200,000 pages); DP:MK-3140 (200,000 pages)       MK-5159 (200,000 pages); DP:MK-5200 (200,000 pages)         Data Security       MK-5144 (200,000 pages); DP:MK-3140 (200,000 pages)       MK-5159 (200,000 pages); DP:MK-5200 (200,000 pages)         Card Authentication       Card Authentication Kit(B)       Gigabit Ethernet Board       Blac 50         Wireless LAN Interface       IB-36 (802.11 bg/n/Wireless LAN/WiFi Direct)       Scan Extension Kit(A)					
Memory         6MB           One Touch Dial         100 numbers           Network FAX         100 numbers           Ves           Consumables & Options           Toner Kit (Page Yield in accordance with ISO/ (Page Yield In accordance With ISO/ Black 3,500 pages (Cyan/Magenta/Yellow 2,500 pages) (Cyan/Magenta/Yellow 2,500 page	-				
One Touch Dial         100 numbers           Network FAX         Ves           Consumables & Options         Consumables & Options           Toner Kit (Page Yield in accordance with ISO/ IEC 19798)         TK-5275K : Black (3,000 pages) TK-5275K : Magenta (6,000 pages) TK-5275K : Magenta (6,000 pages) TK-5275K : Magenta (6,000 pages) TK-5285K : Magenta (11,000 pages) TK-5285K : Magenta (11,000 pages) TK-5285K : Vellow (10,000 pages) TK-5285K : Vellow (10,000 pages) TK-5285K : Vellow (10,000 pages) TK-5285K : Vellow (10,000 pages) TK-5285K : Vellow (11,000 pages) TK-5285K : Vellow (			· ·		
Network FAX         Yes           Consumables & Options           Toner Kit (Page Yield in accordance with ISO/ (Page Yield in accordance with ISO/ IEC 19798)         TK-5275C : Cyan (6,000 pages) TK-5275Y: Yellow (6,000 pages) TK-5275Y: Yellow (6,000 pages) TK-5285Y: Yellow (11,000 pages)           Capacity of Start up Toner         Black 3,500 pages Cyan/Magenta/Yellow 2,500 pages         Black 6,000 pages Cyan/Magenta/Yellow 5,000 pages           Maintenance Kit         MK-5144 (200,000 pages); DP:MK-3140 (200,000 pages)         MK-5159 (200,000 pages); DP:MK-5200 (200,000 pages)           Paper Feeder         Data Security         Data Security Kit(E)           Card Authentication         Card Authentication Kit(B)         IB-50           Wireless LAN Interface         IB-36 (802.111 b/g/n/Wireless LAN/WiFi Direct)         IB-36 (802.111 b/g/n/Wireless LAN/WiFi Direct)           Storage Device         Embedded OCR         Scan Extension Kit(A)         IEC					
Consumables & OptionsToner Kit (Page Yield in accordance with ISO/ IEC 19798)TK-5275C : Cyan (6,000 pages) TK-5275C : Cyan (6,000 pages) TK-5275C : Cyan (6,000 pages) TK-5275C : Cyan (6,000 pages) TK-5275C : Cyan (10,000 pages) TK-5275C : Cyan (11,000 pages) TK-5285X : Magenta (11,000 pages) TK-5285X : Magenta (11,000 pages) TK-5285X : Yellow (1,000 pages) TK-5285X : Yellow (1,000 pages) TK-5285X : Yellow (1,000 pages) TK-5285X : Yellow (1,000 pages)Capacity of Start up TonerBlack 3,500 pages Cyan/Magenta/Yellow 2,500 pages Cyan/Magenta/Yellow 5,000 pages Cyan/Magenta/Yellow 5,000 pages)Maintenance KitMK-5144 (200,000 pages); DP:MK-3140 (200,000 pages)Paper FeederMK-5144 (200,000 pages); DP:MK-3140 (200,000 pages)Data SecurityCard AuthenticationCard AuthenticationCard Authentication Kit(B)Gigabit Ethernet BoardIB-50Wireless LAN InterfaceIB-36 (802.111 b/g/n/Wireless LAN/WiFi Direct)Storage DeviceEmbedded OCREmbedded OCRScan Extension Kit(A)					
Toner Kit (Page Yield in accordance with ISO/ IEC 19798)TK-5275K : Black (8,000 pages) TK-5275K : Magenta (6,000 pages) TK-5275K : Magenta (10,000 pages) TK-5275K : Magenta (11,000 pages) TK-5285K : Polw (11,000					
Index Nt         TK-5275C: Cyan (6,000 pages)         TK-5285C: Cyan (11,000 pages)           (Page Yield in accordance with ISO/ IEC 19798)         TK-5275Y: Yalow (6,000 pages)         TK-5285Y: Yalow (11,000 pages)           Capacity of Start up Toner         Black 3,500 pages Cyan/Magenta/Yellow 2,500 pages         Black 3,500 pages Cyan/Magenta/Yellow 2,500 pages           Maintenance Kit         MK-5144 (200,000 pages); DP:MK-3140 (200,000 pages)         MK-5159 (200,000 pages); DP:MK-5200 (200,000 pages)           Paper Feeder         MK-5144 (200,000 pages); DP:MK-3140 (200,000 pages)         MK-5159 (200,000 pages); DP:MK-5200 (200,000 pages)           Data Security         Gad Authentication         Getter Start up Toner         MK-5159 (200,000 pages); DP:MK-5200 (200,000 pages)           Gigabit Ethernet Board         Image Start up Toner         Image Start up Toner         Image Start up Toner           Wireless LAN Interface         Image Start up Toner         Image Start up Toner         Image Start up Toner           Storage Device         Image Start up Toner         Image Start up Toner         Image Start up Toner					
If Page Yield in accordance with ISO/T     TK-5275M : Magenta (6,000 pages)     TK-5285M : Magenta (11,000 pages)       TK-5285M : Magenta (11,000 pages)     TK-5285M : Magenta (11,000 pages)       TK-5275Y : Yellow (6,000 pages)     TK-5285Y : Yellow (11,000 pages)       Capacity of Start up Toner     Black 6,000 pages       Maintenance Kit     MK-5144 (20,000 pages); DP:MK-3140 (20,000 pages)       Maintenance Kit     MK-5144 (20,000 pages); DP:MK-3140 (20,000 pages)       Paper Feeder     MK-5159 (20,000 pages); DP:MK-5200 (20,000 pages)       Data Security     Gada test (KIE)       Card Authentication     Genetation       Gigabit Ethernet Board     Imagenta (11,000 pages); DP:MK-310 (20,000 pages)       Wireless LAN Interface     Gigabit Ethernet Board       Storage Device     Gigabit Cord Authentication       Embedded OCR     Scan Ext-XIII				TK-5285C : Cyan (11,000 pages)	
Capacity of Start up Toner       Black 3,500 pages Cyan/Magenta/Yellow 2,500 pages       Black 6,000 pages Cyan/Magenta/Yellow 2,500 pages         Maintenance Kit       MK-5144 (200,000 pages); DP:MK-3140 (200,000 pages)       MK-5159 (200,000 pages); DP:MK-5200 (200,000 pages)         Paper Feeder       MK-5144 (200,000 pages); DP:MK-3140 (200,000 pages)       MK-5159 (200,000 pages); DP:MK-5200 (200,000 pages)         Data Security       Gadata Security       MK-5159 (200,000 pages); DP:MK-5200 (200,000 pages)         Card Authentication       Gadata Security Kit(E)       Gadata Security         Gigabit Ethernet Board       Softage Device       Storage Device         Storage Device       Gigabit Ethernet Son 3/ES       NA/ViFi Direct)         Storage Device       Gigabit Scan Externet Nit(A)       Scan Externet Nit(A)			TK-5275M : Magenta (6,000 pages)	TK-5285M : Magenta (11,000 pages)	
Capacity of start up toner         Cyan/Magenta/Yellow 2,500 pages         Cyan/Magenta/Yellow 2,000 pages           Maintenance Kit         MK-5144 (200,000 pages); DP:MK-3140 (200,000 pages)         MK-5159 (200,000 pages); DP:MK-5200 (200,000 pages)           Paper Feeder         Generation         Start up tone         Start up tone           Data Security         Generation         Start up tone         Start up tone           Card Authentication         Generation         Start up tone         Start up tone           Gigabit Ethernet Board         Generation         Storage Device         Storage Device         Storage Device           Storage Device         Generation         Storage Start up tone         Storage Start up tone         Storage Start up tone					
Maintenance Kit     MK-5144 (200,000 pages); DP:MK-3140 (200,000 pages)     MK-5159 (200,000 pages); DP:MK-5200 (200,000 pages)       Paper Feeder     MK-519     MK-519 (200,000 pages); DP:MK-5200 (200,000 pages)       Data Security     Storage Device     MK-519       Vireless LAN Interface     Gigabit Ethernet Board     IB-5       Vireless LAN Interface     IB-36 (802.11 b/g/n/WiFirest LAN/WiFi Direct)       Storage Device     MC     MC       Embedded OCR     IB-30 (IB-30 (	Capacity of Start up Toner				
Paper Feeder         PF-5100: 500 sheets (Max. x3)           Data Security         Data Security Kit(E)           Card Authentication         Card Authentication Kit(B)           Gigabit Ethernet Board         IB-50           Wireless LAN Interface         IB-36 (802.11 b/g/n/Wireless LAN/WiFi Direct)           Storage Device         HD-6: SSD 32GB; HD-7: SSD 128GB           Embedded OCR         Scan Extension Kit(A)					
Data Security         Data Security Kit(E)           Card Authentication         Card Authentication Kit(B)           Gigabit Ethernet Board         IB-50           Wireless LAN Interface         IB-36 (802.11 b/g/n/Wireless LAN/WiFi Direct)           Storage Device         HD-6: SSD 32GB; HD-7: SSD 128GB           Embedded OCR         Scan Extension Kit(A)					
Card Authentication         Card Authentication Kit(B)           Gigabit Ethernet Board         IB-50           Wireless LAN Interface         IB-36 (802.11 b/g/n/Wireless LAN/WiFi Direct)           Storage Device         HD-6: SSD 32GB; HD-7: SSD 128GB           Embedded OCR         Scan Extension Kit(A)					
Gigabit Ethernet Board     IB-50       Wireless LAN Interface     IB-36 (802.11 b/g/n/Wireless LAN/WiFi Direct)       Storage Device     HD-6: SSD 32GB; HD-7: SSD 128GB       Embedded OCR     Scan Extension Kit(A)	· · · · ·				
Wireless LAN Interface         IB-36 (802.11 b/g/n/Wireless LAN/WiFi Direct)           Storage Device         HD-6: SSD 32GB; HD-7: SSD 128GB           Embedded OCR         Scan Extension Kit(A)					
Storage Device         HD-6: SSD 32GB; HD-7: SSD 128GB           Embedded OCR         Scan Extension Kit(A)	-				
			HD-6: SSD 32GB; HD-7: SSD 128GB		
IC Card Reader Holder 10	Embedded OCR		Scan Exten	sion Kit(A)	
	IC Card Reader Hold	er	Card Reade	r Holder 10	
Manual Stapler MS-5100 B: 20 sheets; Staple: SH-13	Manual Stapler		MS-5100 B: 20 sheets; Staple: SH-13		

## KYOCERa

#### KYOCERA Document Solutions India Pvt. Ltd.

Second Floor, Centrum Plaza, Sector-53, Golf Course Road, Gurgaon – 122002 (Haryana), India Tel: +91-124-4671000 Fax: +91-124-4671001 Email: contactus@did.kyocera.com http://www.kyoceradocumentsolutions.co.in

\*KYOCERA does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged. @All rights reserved. Brochure/KDAS/201810/Mebius\_Color MFP



KYOCERA Business Partner