



Document Solutions

> PRINT

ECOSYS P6130cdn

ECOSYS P6035cdn

ECOSYS P7040cdn

COLOR PRINTER  
FOR A4 FORMAT

# BRILLIANT PERFORMANCE WITH HIGH LEVEL OF SECURITY



Mobile Print



KYOCERA MyPanel



- Fast A4 print to 40 ppm (Mono/Color) (ECOSYS P7040cdn).
- Support high print volume with paper capacity up to 2,100 sheets\*.
- Equipped with robust features like standard duplex unit for double-sided printing and direct printing from USB.
- Support Air Print and Mopria certified.
- Standard 512MB RAM to meet heavy duty tasks without additional memory required.
- Visually clear with 5 line LCD display and numeric key (ECOSYS P6035cdn, ECOSYS P7040cdn).
- Exceptionally low printing costs in its class.

\*Main unit + Multi-Purpose Tray + Optional PF-5100 x 3



# Born to be Extraordinary

## KYOCERA Document Solutions is Extraordinary for

- Broad Range of Multifunction Devices and Printers
- Optimized Total Cost of Ownership (TCO)
- Reliable with Long Life Drum and Parts
- New and Advanced Technology

KYOCERA Document Solutions strives to be a Company that contributes to the society and demonstrates “Customer First” principle by providing customers with maximum value to increase their satisfaction. By adhering to the mission of producing document management devices that take balance between “Economy” and “Ecology”, KYOCERA Document Solutions succeeds to develop document management devices with advanced technologies which help customers to optimize office productivity and efficiency at a low total cost of ownership and, at the same time, improving environmental performance.

## Building High Performance

These color printers are designed to fulfil high efficiency and demands from workplace with their speed, excellent color quality, intelligent network and security features. They offer benefits for cost savings with the cost-effective ECOSYS technology and long-life components.



<sup>#</sup>ECOSYS P6035cdn, ECOSYS P7040cdn



## Efficient and Productive Workflow

- Smooth envelope printing with 'Auto Envelope Mode'.
- Support Job retention with SD card / SSD storage device (Optional).
- Ready to use with pre-installed initial toner.
- Direct print from USB memory.
- Auto duplex as standard.

## Sophisticated Security Protection

- **Authentication management** among departments via IC Card.
- Sophisticated network security (**SSL, IPsec**) as standard and prevent improper access.
- **Private Print** enables secure print jobs with preset password<sup>#</sup> request at the device.



<sup>#</sup> ECOSYS P6035cdn, ECOSYS P7040cdn


## Benefiting the Earth

- Low energy consumption  
**Energy Star Ver.2.0** certified.
- Free of Hazardous material  
Fulfilled the requirements of **RoHS** (Restriction of Hazardous Substances) & usage of **Lead-Free Parts**.
- Reduce wastage by **Long Life Consumables and Drums**.
- Reduce noise by **Quiet Mode**.



## Leading-edge Business Applications

By combining the innovative Business Applications, these color printers can manage document in an effective approach.



<sup>##</sup> Optional

		Main Specifications		
Model		ECOSYS P6130cdn	ECOSYS P6035cdn	ECOSYS P7040cdn
Type		Desktop		
Writing Method		Semiconductor Laser		
Print Speed (A4) (Mono/Color)		30/30 ppm	35/35 ppm	40/40 ppm
First Print Out Time (Mono/Color)		7.0 sec / 8.0 sec	6.5 sec / 7.5 sec	6.0 sec / 7.0 sec
Warm Up Time		26 seconds	25 seconds	24 seconds
Resolution		600 x 600 dpi, 9600 x 600 dpi level		
Duplex		Auto		
Control Panel		2 lines LCD Panel	5 lines LCD Panel with Numeric Key	
Power Consumption (Standard configuration)	Print Mode	479W	523W	661W
	Stand-by Mode	56W	65W	83W
	Sleep Mode	2.1W		
Noise (ISO7779/ ISO9296)	Print Mode	49.5dB(A)	52dB(A)	53.5dB(A)
	Stand-by Mode	30dB(A)		
Dimension (W x D x H) (Main Unit)		390mm x 532mm x 409.5mm	390mm x 532mm x 469.5mm	
Weight (Main Unit)		Approx. 28.0 kg	Approx. 29.0 kg	Approx. 30.5 kg
Controller				
CPU		PowerPC465S 1GHz		
Memory		Standard 512MB (Max. 2048MB)		
Standard Interface		USB 2.0 High Speed x1; Ethernet 10BASE-T/100BASE-TX/1000BASE-T; USB Host x2		
PDL		PRESCRIBE, PCL6 (PCL5c, PCL-XL), KPDL3 (Postscript 3 compatible), PDF Direct Print Ver. 1.7, XPS		
Network Printing		TCP/IP, FTP, LPR, Port9100, IPP, IPP over SSL/TLS, NetBEUI, WSD Print, Apple Bonjour		
Operating System		Windows Server 2003, Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows XP, Windows Vista, Windows 7, Windows 8, Windows 8.1; Apple Macintosh OS X 10.5 or later, Linux		
USB Memory Printing		Standard		
USB Memory Printing Format		TIFF, JPEG, PDF, XPS		
e-mail Printing		Standard		
Mobile Printing		AirPrint, Mopria, KYOCERA Mobile Print		
Paper Handling				
Paper Capacity	Standard	500 sheets x1 (Cassette) + 100 sheets (MPT)		
	Maximum	2,100 sheets (Main Unit + PF-5100 x3 + MPT)		
Paper Size	Cassette	Min. A6R – Max. A4 (Legal)		
	Option	Min. A5R – Max. A4 (Legal)		
	MPT	Min. A6R – Max. A4 (Legal)		
Paper Weight	Cassette	60 – 163 g/m <sup>2</sup>		
	Option	60 – 220 g/m <sup>2</sup>		
	MPT	60 – 220 g/m <sup>2</sup>		
Duplex Printing		Paper size: A5R – A4/Legal; Paper weight: 60 – 163 g/m <sup>2</sup>		
Output Capacity		Max. 250 sheets face-down	Max. 500 sheets face-down	
Consumables & Options				
Toner Kit (Page Yield in accordance with ISO/IEC 19798)		TK-5144K : Black (7,000 pages) TK-5144C : Cyan (5,000 pages) TK-5144M : Magenta (5,000 pages) TK-5144Y : Yellow (5,000 pages)	TK-5154K : Black (12,000 pages) TK-5154C : Cyan (10,000 pages) TK-5154M : Magenta (10,000 pages) TK-5154Y : Yellow (10,000 pages)	TK-5164K : Black (16,000 pages) TK-5164C : Cyan (12,000 pages) TK-5164M : Magenta (12,000 pages) TK-5164Y : Yellow (12,000 pages)
Capacity of Start up Toner		Black 3,500 pages Cyan/Magenta/Yellow 2,500 pages	Black 6,000 pages Cyan/Magenta/Yellow 5,000 pages	Black 8,000 pages Cyan/Magenta/Yellow 6,000 pages
Maintenance Kit		MK-5144 (200,000 pages)	MK-5154 (200,000 pages)	MK-5164 (300,000 pages)
Paper Feeder		PF-5100: 500 sheets (Max. x3)		
Data Security		Data Security Kit(E) AC		
Card Authentication		Card Authentication Kit(B) AC		
Gigabit Ethernet Board		IB-50		
Wireless LAN Interface		IB-51		
Storage Device		HD-6: SSD 32GB; HD-7: SSD 128GB		



บริษัท เคียะวะเซ่ร่า ด็อกคิวเม้นท์ โซลูชั่นส์ (ประเทศไทย) จำกัด  
 โทร. 0-2586-0333 โทรสาร 0-2586-0278  
[www.kyoceradocumentsolutions.co.th](http://www.kyoceradocumentsolutions.co.th)

KYOCERA Business Partner

\*KYOCERA does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.