



TASKalfa Pro 15000c

Superfast inkjet production printer





ยินดีต้อนรับสู่ KYOCERA!

KYOCERA Group เป็น บริษัทระดับโลกที่สร้างมูลค่าอย่างต่อเนื่องด้วยเทคโนโลยีล้ำสมัย มีการใช้งานในหลายภาคส่วนธุรกิจ ทั้งงานชิ้นส่วนอุตสาหกรรมยานยนต์ ส่วนประกอบเซมิคอนดักเตอร์ อุปกรณ์อิเล็กทรอนิกส์ การสื่อสาร งานค้นคว้าและวิจัย และอีกมากมาย KYOCERA Document Solutions สนับสนุนธุรกิจต่างๆ มากกว่า 60 ปี ด้วยนวัตกรรมและพัฒนาการต่อเนื่องอย่างยั่งยืนของผลิตภัณฑ์ ตั้งแต่พรีนเตอร์ มัลติฟังก์ชัน ไปจนถึง ระบบปฏิบัติการแบบครบวงจร ที่ช่วยสนับสนุนในการนำทักษะความรู้ไปใช้ในงานได้อย่างแท้จริง

ประสบการณ์อันยาวนานของเราคือหลักประกันอนาคตของคุณ

ดูข้อมูลเพิ่มเติมได้ที่

www.kyoceradocumentsolutions.com/th

ปฏิวัติการพิมพ์ความเร็วสูง :

TASKalfa Pro 15000c ของเราเกิดจากการผสมผสานประสบการณ์และความเชี่ยวชาญในด้านดิจิทัลกว่า 60 ปี มาพัฒนาเพื่อตอบสนองการพิมพ์งานยอดสูง เครื่องพิมพ์โปรดัคชั่นอิงค์เจ็ทความเร็วสูงนี้เป็นทางเลือกที่คุ้มค่า เมื่อเทียบกับการพิมพ์ระบบเดิมๆ ในงานพิมพ์แบบฟอร์มธุรกรรมงานส่งเสริมการขาย และงานพิมพ์เอกสารที่ส่งตรงถึงผู้รับ KYOCERA ได้พัฒนาเทคโนโลยีของหมึกและคุณสมบัติเฉพาะหัวพิมพ์ในการพิมพ์ความเร็วสูงอย่างมีประสิทธิภาพ อีกทั้งยังถูกออกแบบมาเพื่อสร้างความมั่นคงให้อายุการใช้งานของธุรกิจ เสริมความโดดเด่นให้ท่านในตลาดสิ่งพิมพ์ และมอบผลตอบแทนจากการลงทุนได้อย่างรวดเร็วและยั่งยืน





ผลิตผลงานคุณภาพสูงในเวลาอันรวดเร็ว เพื่อเพิ่มประสิทธิภาพให้ภาพของคุณ

การพิมพ์และการทำสำเนาของ TASKalfa Pro 15000c ถือได้ว่ามีอัตราความเร็วในการพิมพ์เร็วที่สุดในตลาด (150 หน้า ต่อนาที สำหรับกระดาษ A4) โดยความเร็วในการพิมพ์ไม่ลดลง แม้จะพิมพ์ลงบนกระดาษที่มีความหนาขึ้น ช่องบรรจุกระดาษที่มีความจุสูง และตัวป้อนกระดาษแบบหัวลมดูด ทำให้งานพิมพ์งานออกและกองกระดาษออกได้สูงถึง 14,310 แผ่น ความละเอียดการพิมพ์ 600 x 600 dpi ช่วยให้เห็นถึงคุณภาพของภาพที่คงที่ ในขณะที่ระบบการตั้งค่าความตรงหน้าหลังที่แม่นยำส่งผลให้การวางตำแหน่งภาพมีความเที่ยงตรงสม่ำเสมอในทุกหน้า

- ถาดป้อนกระดาษระบบลมดูด แบบความจุสูงช่วยให้การลำเลียงกระดาษด้วยความเร็วสูงได้อย่างมั่นใจ
- การออกแบบที่แข็งแกร่งทนทานเสริมความมั่นใจในประสิทธิภาพที่เชื่อถือได้ ในการทำงานที่เร่งด่วนและปริมาณงานพิมพ์สูง
- ส่วนประกอบคุณภาพสูง รวมถึง หัวพิมพ์อิงค์เจ็ทของ KYOCERA เองที่สามารถพิสูจน์ได้ด้วยเทคโนโลยีและประสบการณ์อันยาวนาน

ปริมาณงานที่เชื่อถือได้ พร้อมต้นทุนที่ถูกลง

เราสามารถพิมพ์ได้ทุกงาน ในแต่ละภาคธุรกิจจากเอกสารด้านสุขภาพ การศึกษา ไปตลอดถึงตลาดการเงิน การตลาด บริการไปรษณีย์ และหน่วยงานรัฐบาล TASKalfa Pro 15000c จัดการกระบวนการพิมพ์ในแต่ละขั้นตอนได้อย่างเชี่ยวชาญ แม้งานที่ต้องการความเร่งด่วนในปริมาณสูง ด้วยระบบการจัดการตลอดกระบวนการทำงานได้อย่างรวดเร็ว มั่นใจและใช้งานได้ ในประเภทงานที่หลากหลาย อย่างมีประสิทธิภาพและเชื่อถือได้ ผสมผสานกับความสามารถด้านประหยัดพลังงาน ทำให้ลดต้นทุนได้ พร้อมกับลดปริมาณคาร์บอนจากการผลิตงาน

- TASKalfa Pro 15000c ได้รับการรับรองด้านพลังงานระดับสากลมากมาย
- การให้บริการโดยการตรวจเช็คผ่านระบบออนไลน์ และระบบสอนแนะนำวิธีบำรุงรักษาช่วยให้เครื่องพิมพ์วิ่งงานได้อย่างมีประสิทธิภาพสูงสุดตลอดเวลา



การผลิตผลงาน ประสิทธิภาพสูง

TASKalfa Pro 15000c ได้รับการพัฒนาเพื่อรองรับการพิมพ์ปริมาณมาก และพิมพ์เสร็จได้ในระยะเวลารวดเร็ว ระบบควบคุม Fiery จะจัดลำดับขั้นตอนและดูแลการจัดการงานที่ซับซ้อนต่างๆ ได้อย่างมืออาชีพ ด้วยระบบซอฟต์แวร์ Managed Enterprise Output (MEO)

- การใช้งานเป็นเรื่องง่ายด้วยหน้าจอระบบสัมผัสเรียนรู้ง่าย
- การบำรุงรักษาและการปรับแต่งในรายละเอียดส่วนใหญ่สามารถจัดการได้โดยช่างประจำเครื่อง



TASKalfa Pro 15000c

BASIC SPECIFICATIONS

KYOCERA High Speed Inkjet Color Multifunctional

Engine speed (Pages per minute):

Color/Black — A4: 150ppm, Letter: 146 ppm, Legal/

B4: 98 ppm, A3: 88ppm, Ledger: 86 ppm, SRA3:

75ppm (print only), 12" x 18": 74 ppm (print only)

Warm-up time: 120 seconds or Less (Power On),

[W/DE-9100: 15 minutes or less]

First Page Out:

Copy: 5.0 Seconds or Less Black, 5.0 Seconds or Less Color.

Print: 5.5 Seconds or Less Black, 5.5 Seconds or Less Color

Resolution: 600 x 600 dpi; 600 x 1200 dpi

Memory / Hard Disk Drive: 4.5 GB RAM/

32 GB SSD / 1 TB HDD Standard

Duplex: Standard Stackless Duplex Supports A5/

Statement to SRA3/12" x 18", 60 — 300gsm

Standard Output Tray: A5R/Statement — 13" x 19.2"/

500 Sheets, (A6R : Right output tray)

Typical Electricity Consumption (TEC):

6.3 kWh/week [120V/220V]

Integrated accounting:

Dimensions (W x D x H): 965 mm x 740 mm x 1220 mm.

Weight: 308 kg or less.

Maximum Monthly Duty Cycle: 1,000,000 Pages per Month

PAPER SUPPLY

Standard Paper Source: Dual 500 Sheet Trays, Dual 1,500

Sheet Trays, 150 Sheet MPT, Auto Selection / Switching

Optional Paper Sources: Dual 2,440 Sheet (PF-9100)

Max 2 units 550 Sheet Multi-Media Paper Feeder (PF-9110)

Paper Capacity: Standard: 4,150 Sheets; Maximum: 14,310 Sheets

Paper Size: Tray: A5/5.5" x 8.5" — 12" x 18";

MPT: A6/5.5" x 8.5" — 13" x 19.2"

Paper Weight: Trays / (MPT) : Max 360gsm / (Max 300gsm)

Input Materials: Plain paper / II plain paper /

II matte paper / Thick paper / Postcard / Tab

paper / Envelope / Banner paper / II media

COPY FUNCTIONS

Max. original size: A3/Ledger

Continuous copying: 1 — 9,999

Zoom range: 25 — 400 % in 1 % steps

Preset magnification ratios: 5 Reductions/5 Enlargements

Exposure mode: Auto, manual: 16 steps

Image adjustments: Text + Photo, Photo, Text, Map, Printed

document

Features: Scan-once-copy-many, electronic sort, 2in1, 4in1, image

repeat, page numbering, cover mode. booklet copy, interrupt

copy, form overlay, margin shift, auto cassette change, Skip blank

page, ID card copy

SCAN FUNCTIONS

Functionality: Scan-to-email, Scan-to-FTP, Scan-to-SMB 3.0,
Scan-to-USB Host, Scan-to-box, Network TWAIN, WSD scan
(WIA Driver Network)

Scan speed: (A4, 300 dpi, Dual Scan) 220 images per minute;

(A4, 300 dpi, Simplex Scan) 120 images per minute

Scan resolution: 600 x 600 dpi, 400 x 400 dpi, 300 x 300 dpi,

200 x 400 dpi, 200 x 200 dpi, 200 x 100 dpi; 256 greyscales per

colour

Max. scan size: A3, Ledger, Banner up to 2,200 mm

Original recognition: Text, photo, text + photo, light text/

fine line, optimised for OCR

File types: TIFF, PDF, PDF/A, JPEG, Open XPS, Encrypted PDF,

High compression PDF, PDF/A-1a/b, PDF/A-2a/b/u,

Features: Colour scan, Auto Colour Select, integrated

address book, Active Directory support, encrypted data

transfer, multi send (e-mail, fax, SMB/FTP folder, print)

at once, Blank page skip, Specified colour removal

OPTIONAL LARGE PAPER CAPACITY TRAY PF-9100

Dimensions (W x D x H): 330 x 730 x 1000 mm

Weight: 60kg or less

Power Consumption: Less than 860 W

Paper Size: A6/5.5" x 8.5" — 13" x 19.2"

Paper Capacity: 4,880 sheets (2,440 sheets per tray)

Paper Weight: 56 — 360gsm

OPTIONAL LARGE CAPACITY STACKER ST-9100

Dimensions (W x D x H): 900x 730 x 1000 mm

Weight: 120kg or less

Power Consumption: Less than 144 W

Paper Size: 330.2 x 487.9 mm(13x19.2) - A6R/Postcard"

Paper Capacity: 5,000 sheets

Paper Weight: 56 — 360gsm

PRINT SPECIFICATIONS

Standard Controller: QoriQ T1042 (Quad Core) / 1.2GHz

PDLs / Emulations: PCL6 (PCL-XL / PCL5c),

KPDL3 (PS3), PDF, OpenXPS, XPS, PPML

Print Resolution: Up to 600 x 1200 dpi

Fonts: 136 KPDL3, 93 PCL6, 8 Windows Vista, 1 Bitmap.

OS Compatibility: Windows: XP/Vista/7/8/8.1/10/Server

2003/Server 2008/Server 2008 R2/ Server 2012/Server

2012 R2; Novell NetWare 3.x/4.x/5.x/6.x; Mac OS 4.1.x;

Solaris 2.x; AIX; HP-UX; (LPR)OS 10.x; AirPrint Enabled.

Interfaces: Standard: 10/100/1000BaseTX,

Hi-Speed USB 2.0, 4 USB Host Interfaces

Network Print and Supported Protocols: TCP/IP, FTP, LPR,

NetBEUI, IPv4, IPv6, IPsec, SSL, HTTP, LPD, IPP, RawPort, LLTD,

SNTP, DHCP, SMTP, POP3, DNS, SNMPv1/v2, WSD Scan/Print

Drivers: KX Driver

OPTIONAL FIERY CONTROLLER PRINTING SYSTEM 50

Fiery System Version: Fiery FS300 Pro

Configuration: External

Memory: 16GB (8GB x 2)

CPU: Intel Xeon E5-2637 (3.5 GHz up to 3.7 GHz with turbo)

HDD: 500 GB + 2 x 2 TB SATA

Fiery Included Options

Fiery Spot On, Fiery Hot Folders, Virtual Printers, Fiery

Go, PaperCut Compatibility, Paper Catalog,

Fiery JobFlow Base, Fiery Calibrate

CONSUMABLES

Average continuous Ink yield in accordance with

5 % coverage A4.

IK-7115K, IK-7115C, IK-7115M, IK-7115Y

Staples: SH-10 for BF-9110, SH-14 for DF-7130

ENHANCEMENTS

PF-9100: Vacuum Feed Paper Feeder

PF-9110: Multi Bypass Tray

DE-9100: Drying & Decurl Unit

ST-9100: High Capacity Stacker

DF-9100: Document Finisher

BF-9110: Booklet Finisher

SL-9100: Status Indicator Light

PH-7C: Hole Punch

AK-9110: Relay Unit between Paper Feeder and Printer

AK-9120: Relay Unit between Stacker and Finisher

AK-9130: Relay unit between PF-9100 & 2nd PF-9100

AK-9140: Relay kit for PF-9110

เมื่อพิมพ์งานในปริมาณมากความมั่นใจในความถูกต้องของงาน มีความสำคัญเท่ากับความเร็วในการพิมพ์ TASKalfa Pro 15000c รวมทั้งสองสิ่งเข้าด้วยกันเพื่อช่วยเพิ่มผลผลิต ในขณะเดียวกัน ช่วยลดต้นทุนการจัดการและการใช้พลังงานให้กับองค์กร ด้วยความสามารถในการรองรับ การปรับเปลี่ยนตามความต้องการส่วนบุคคล ด้วยศักยภาพของระบบดิจิทัลและตัวเลือกที่หลากหลาย เพื่อให้เหมาะกับการใช้งานอุปกรณ์จัดการงานหลังการพิมพ์ของเรามีทุกสิ่งที่คุณต้องการเพื่อเติมเต็มความต้องการในการผลิตผลงานพิมพ์ของคุณ

HyPAS



KYOCERA Document Solutions Partner

OCTOBER2019DSTASKALFAPRO15000C/VER1.0

บริษัท เคียวเซรา ด็อกคิวเม้นท์ โซลูชั่นส์ (ประเทศไทย) จำกัด

335 ถนนรัชดาภิเษก แขวงวงศ์สว่าง เขตบางซื่อ กรุงเทพฯ 10800

โทร. 0-2586-0333 โทรสาร. 0-2586-0278



www.kyoceradocumentsolutions.com/th